INDEX OF AUTHORS' NAMES.

TRANSACTIONS AND PROCEEDINGS. 1904.

(Marked T. and P. respectively.)

COMPILED BY MARGARET D. DOUGAL.

A.

Ackroyd, *William*, the action of radium rays on the halides of the alkali metals and analogous heat effects, T., 812; P., 108.

Archibald, *Ebenezer Henry*, a revision of the atomic weight of rubidium, T., 776; P., 85.

Archibald, *Ebenezer Henry*, and *Douglas* **McIntosh**, the basic properties of oxygen. Additive compounds of the halogen acids and organic substances and the higher valencies of oxygen. Asymmetric oxygen, T., 919; P., 139.

Archibald, *Ebenezer Henry*. See also *James Wallace* **Walker**.

Armstrong, *Edward Frankland*, and *Paul Seidelin* **Arup**, stereoisomeric glucoses and the hydrolysis of glucosidic acetates, T., 1043; P., 169.

Ashby, *Sydney Francis*, the comparative nitrifying power of soils, T., 1158; P., 175.

Attwell, *Herbert Moore*. See *Martin Onslow* **Forster**.

Austin, *Percy Corlett*. See *Alfred* **Senier**.

B.

Bagley, *George*. See *Thomas Hill* **Easterfield**.

Baly, *Edward Charles Cyril*, and *Cecil Henry* **Desch**, the ultra-violet absorption spectra of certain enol-keto-tautomerides. Part I. Acetylacetone and ethyl acetoacetate, T., 1029; P., 157.

Barger, *George*, a microscopic method of determining molecular weights, T., 286; P., 8; discussion, P., 8.

Baron, *Harold, Frederick George Percy* **Remfry**, and *Jocelyn Field* **Thorpe**, the formation and reactions of iminocompounds. Part I. Condensation of ethyl cyanoacetate with its sodium derivative, T., 1726; P., 243.

Beard, *Stanley H.* See *John Joseph* **Sudborough**.

Bellars, *Albert Ernest*. See *Robert Selby* **Morrell**.

Bergtheil, *Cyril*, the fermentation of the indigo-plant, T., 870; P., 139.

Bevan, *Edward John*. See *Charles Frederick* **Cross**.

Bloxam, *William Popplewell*, our present knowledge of the chemistry of indigo, P., 159.

Bone, *William Arthur*, and *Julien* **Drugman**, the action of ozone on ethane; preliminary note, P., 127.

Bone, *William Arthur*, and *William Ernest* **Stockings**, the slow combustion of ethane, T., 693; P., 106.

Bone, *William Arthur*, *John Joseph* **Sudborough**, and *Charles Henry Graham* **Sprankling**, the acid esters of methyl substituted succinic acids, T., 534; P., 64.

Bone, *William Arthur*, and *Richard Vernon* **Wheeler**, the combustion of ethylene, T., 1637; P., 202.

Bousfield, *William Robert*, the purification of water by continuous fractional distillation, P., 49.

Bowack, *Douglas Anderson*, and *Arthur* **Lapworth**, derivatives of menthyl cyanoacetate, T., 42.

Briggs, *Samuel Henry Clifford*, ammoniacal double chromates and molybdates, T., 672; P., 89.
the hexahydrated double chromates. Magnesium and nickel compounds, T., 677; P., 90.
Burgess, *Charles Hutchens*, and *David Leonard* **Chapman**, the nature of a solution of iodine in aqueous potassium iodide, T., 1305; P., 62.
photochemically active chlorine; preliminary notice, P., 52, 164.
Burgess, *Herbert Edward*, and *Theodore Henry* **Page**, a note on the composition of distilled oil of limes and a new sesquiterpene, T., 414; P., 62.
a note on bergamot oil and other oils of the Citrus series, T., 1327; P., 181.
Burke, (*Miss*) *Katharine Alice*, and *Frederick George* **Donnan**, chemical dynamics of the alkyl iodides, T., 555; P., 46.
Burt, *Bryce Chudleigh*, the vapour pressure of sulphuric acid solutions and the molecular condition of sulphuric acid in concentrated solution, T., 1339; P., 182.

C.

Cain, *John Cannell*, halogen derivatives of diphenyl and dihydroxydiphenyl, T., 7.
the diazo-reaction in the diphenyl series. Part II. Ethoxybenzidine, P., 249.
Caldecott, *William Arthur*, the influence of sunlight on the dissolution of gold in aqueous potassium cyanide, P., 199.
Cameron, *Adam*. See *James Colquhoun* **Irvine**.
Chapman, *David Leonard*. See *Charles Hutchens* **Burgess**.
Chattaway, *Frederick Daniel*, intramolecular rearrangement in derivatives of the aromatic aminoketones, T., 340; P., 44.
isomeric change of diacylanilides into acylaminoketones, T., 386; P., 43.
sulphonphenylchloroamides and sulphontolylchloroamides, T., 1181; P., 168.
dibenzoylchloroimide, P., 22.
nitrogen chlorides containing two halogen atoms attached to the nitrogen, P., 167.
sulphonchloroalkylamides, P., 208.
Chattaway, *Frederick Daniel*, and *William Henry* **Lewis**, isomeric change of diacylanilides into acylaminoketones. Transformation of the dibenzoyltoluidines into the isomeric benzoylaminomethylbenzophenones, T., 589; P., 60.
isomeric change of diacylanilides into acylaminoketones. Transformation of dibenzoylaminobenzophenone into 1-benzoylamino-2:4-dibenzoylbenzene, T., 1663; P., 223.
Chattaway, *Frederick Daniel*, and *John Mello* **Wadmore**, derivatives of highly substituted anilines, T., 179; P., 16.
Clarke, *George, jun.* See *William Jackson* **Pope**.
Cohen, *Julius Berend*, and *Henry Drysdale* **Dakin**, the chlorination of the trichlorotoluenes in presence of the aluminium-mercury couple. The constitution of the tetrachlorotoluenes. Part V., T., 1274; P., 180.
Cohen, *Julius Berend*, and *John* **Gatecliff**, the basic properties of oxygen; compounds of the ethers with nitric acid, P., 194.
Cohen, *Julius Berend*, and *Joseph* **Marshall**, the reduction of 2:6-dinitrotoluene with hydrogen sulphide, T., 527; P., 63.
Cohen, *Julius Berend*, and *James* **Miller**, the influence of substitution in the nucleus on the rate of oxidation of the side-chain. I. Oxidation of the mono- and di-chlorotoluenes, T., 174; P., 11.
the influence of substitution in the nucleus on the rate of oxidation of the side-chain. II. Oxidation of the halogen derivatives of toluene, T., 1622; P., 219.
Cohen, *Julius Berend*, and *Henry Stanley* **Raper**, the relation of position isomerism to optical activity. II. The rotation of the menthyl esters of the isomeric chlorobromobenzoic acids, T., 1262; P., 179.
the relation of position isomerism to optical activity. III. The rotation of the menthyl esters of the isomeric iodobenzoic acids, T., 1271; P., 179.
Cohen, *Julius Berend*. See also *Percival* **Hartley** and *Henry Stanley* **Raper**.
Collie, *John Norman*, the action of acetyl chloride on the sodium salt of diacetylacetone, and the constitution of pyrone compounds, T., 971; P., 158.
a method for the rapid ultimate analysis of organic compounds, T., 1111; P., 174.

Collie, *John Norman*, note on methyl fluoride, T., 1317; P., 180.

Crocker, *James Codrington*, and *Frank Harold* **Lowe**, picryl derivatives of urethanes and thiourethanes, T., 646; P., 92.

Cross, *Charles Frederick*, and *Edward John* **Bevan**, hydrocellulose, T., 691; P., 90.

Crossley, *Arthur William*, aromatic compounds obtained from the hydroaromatic series. Part I. The action of bromine on 3:5-dichloro-1:1-dimethyl-$\Delta^{2:4}$-dihydrobenzene, T., 264; P., 21.

$\Delta^{1:3}$-dihydrobenzene, T., 1403; P., 160.

Crossley, *Arthur William*, and (*Miss*) *Nora* **Renouf**, synthesis of 1:1-dimethylhexahydrobenzene, P., 242.

D.

Dakin, *Henry Drysdale*, the fractional hydrolysis of amygdalinic acid. iso-Amygdalin, T., 1512; P., 200.

Dakin, *Henry Drysdale*. See also *Julius Berend* **Cohen**.

Davis, *Bernard Francis*, and *Arthur Robert* **Ling**, action of malt diastase on potato starch paste, T., 16.

Davis, *Oliver Charles Minty*. See *Francis Ernest* **Francis**.

Dawson, *Harry Medforth*, the formation of periodides in organic solvents, T., 467; P., 54.

Dawson, *Harry Medforth*, and (*Miss*) *Ethel Elizabeth* **Goodson**, the formation of periodides in nitrobenzene solution. Part II. Periodides of the alkali and alkaline earth metals, T., 796; P., 126.

Dean, *George*, the bromination of silver cyanate, T., 1370; P., 183.

Debus, *Heinrich*, contributions to the history of glyoxylic acid, T., 1382; P., 184.

Desch, *Cecil Henry*. See *Edward Charles Cyril* **Baly**.

Dewar, (*Sir*) *James*, and *Humphrey Owen* **Jones**, the chemical reactions of nickel carbonyl. Part I. Reactions with the halogens and other inorganic substances, T., 203; P., 5.

the chemical reactions of nickel carbonyl. Part II. Reaction with aromatic hydrocarbons in presence of aluminium chloride; synthesis of aldehydes and anthracene derivatives, T., 212; P., 6.

Divers, *Edward*, peroxylaminesulphonic acid, T., 108.

constitution of nitric peroxide, T., 110.

Dixon, *Augustus Edward*, certain organic phosphorus compounds, T., 350; P., 41.

caproylthiocarbimide, T., 807; P., 128.

Dobbie, *James Johnston*, *Alexander* **Lauder**, and *Charles Kenneth* **Tinkler**, the relative strengths of the alkaline hydroxides and of ammonia as measured by their action on cotarnine, T., 121.

Dobbie, *James Johnston*, and *Charles Kenneth* **Tinkler**, the constitution of hydrastinine, T., 1005; P., 162.

Donnan, *Frederick George*. See (*Miss*) *Katharine Alice* **Burke**.

Doran, *Robert Elliott*, the tautomeric character of the acyl thiocyanates, P., 20.

Drugman, *Julien*, and *William Ernest* **Stockings**, note on the action of hydrogen sulphide on formaldehyde and acetaldehyde solutions, P., 115.

Drugman, *Julien*. See also *William Arthur* **Bone**.

Dunstan, *Albert Ernest*, the viscosity of liquid mixtures. Part I., T., 817; P., 117, 248.

E.

Easterfield, *Thomas Hill*, and *George* **Bagley**, the resin acids of the Coniferæ. Part I. The constitution of abietic acid, T., 1238; P., 112.

Easterfield, *Thomas Hill*. See also *Oswald* **Silberrad**.

Eynon, *Lewis*. See *Raphael* **Meldola**.

F.

Farmer, *Robert Crosbie*, and *Frederick John* **Warth**, the affinity constants of aniline and its derivatives, T., 1713; P., 244.

Fawsitt, *Charles Edward*, the decomposition of methylcarbamide, T., 1581; P., 203.

on the relation between the chemical composition of some organic substances and the density of their solutions, P., 42.

the decomposition of the alkylureas; preliminary note, P., 126.

Findlay, *Alexander*, freezing point curves of dynamic isomerides. Ammonium thiocyanate and thiocarbamide, T., 403; P., 49.

Finnemore, *Horace*. See *John* **Wade**.

Ford, *John Simpson*, note on the hydrolysis of starch by diastase, T., 980; P., 112.

Forster, *Martin Onslow*, studies in the camphane series. Part XIV. iso-Nitrosocamphor, T., 892; P., 138.

action of magnesium alkyl halides on derivatives of camphor, P., 207.

Forster, *Martin Onslow*, and *Herbert Moore* **Attwell**, studies in the camphane series. Part XV. Bornylcarbimide, T., 1188; P., 91.

Forster, *Martin Onslow*, and (*Miss*) *Frances Mary Gore* **Micklethwait**, studies in the camphane series. Part XIII. Action of nitrogen peroxide on 1-nitrocamphene, T., 325; P., 19.

Fox, *John Jacob*, and *John Theodore* **Hewitt**, studies in the acridine series. Part I., T., 529; P., 9.

Francis, *Francis Ernest*, and *Oliver Charles Minty* **Davis**, the action of nitrogen sulphide on organic substances. I. and II., T., 259, 1535; P., 21, 204.

Francis, *Francis Ernest*, and (*Miss*) *Millicent* **Taylor**, the additive products of benzylideneaniline with ethyl acetoacetate and ethyl methylacetoacetate, T., 998; P., 113.

Frankland, *Percy Faraday*, and *John* **Harger**, position-isomerism and optical activity. The methyl and ethyl esters of di-*o*-, -*m*-, and -*p*-nitrobenzoyltartaric acids, T., 1571; P., 203.

Frankland, *Percy Faraday*, and *Douglas Frank* **Twiss**, the Grignard reaction applied to the esters of hydroxy-acids, T., 1666; P., 245.

Friend, *John Albert Newton*, estimation of hydrogen peroxide in the presence of potassium persulphate by means of potassium permanganate, T., 597; P., 65.

note on the influence of potassium persulphate on the estimation of hydrogen peroxide, T., 1533; P., 198.

Friend, *John Albert Newton*. See also *Thomas Slater* **Price**.

Friswell, *Richard John*, observations on some intramolecular and originally reversible changes extending over prolonged periods of time, P., 36; discussion, P., 37.

G.

Gatecliff, *John*. See *Julius Berend* **Cohen**.

Goodson, (*Miss*) *Ethel Elizabeth*. See *Harry Medforth* **Dawson**.

Gornall, *Frank Howorth*. See *Frederick Belding* **Power**.

Gray, *Thomas*. See *George Gerald* **Henderson**.

Green, *Arthur George*, the colouring matters of the stilbene group. I., T., 1424; P., 184.

Green, *Arthur George*, *Fred* **Marsden**, and *Fred* **Scholefield**, the colouring matters of the stilbene group. II., T., 1432; P., 185.

Green, *Arthur George*, and *Arthur George* **Perkin**, the constitution of phenolphthalein, T., 398; P., 50.

H.

Hackford, *John Edward*. See *Henry Julius Salomon* **Sand**.

Haga, *Tamemasa*, peroxylaminesulphonates and hydroxylaminetrisulphonates (*sulphazilates* and *metasulphazilates*), T., 78.

Hall, *Alfred Daniel*, the mechanical analysis of soils and the composition of the fractions resulting therefrom, T., 950; P., 152.

the effect of the long-continued use of sodium nitrate on the constitution of the soil, T., 964; P., 154; discussion, P., 154.

Hann, *Archie Cecil Osborn*, and *Arthur* **Lapworth**, optically active esters of β-ketonic and β-aldehydic acids. Part IV. Condensation of aldehydes and menthyl acetoacetate, T., 46.

reactions involving the addition of hydrogen cyanide to carbon compounds. Part IV. Addition of hydrogen cyanide to benzylideneacetophenone, T., 1355; P., 183.

additive compounds of unsaturated cyclic ketones with hydrogen cyanide, P., 54.

Hannay, *James Ballantyne*, note on the higher glycerides, P., 58.

Hanson, *Edward Kenneth*. See *Robert Selby* **Morrell**.

Harger, *John*. See *Percy Faraday* **Frankland**.

Hartley, *Percival*, and *Julius Berend* **Cohen**, the nitration products of the isomeric dichlorobenzenes, T., 865; P., 143.

Hartley, *Walter Noel*, the absorption spectrum of *p*-nitrosodimethylaniline, T., 1010; P., 160.

the spectrum generally attributed to "chlorophyll" and its relation to the spectrum of living green tissues, T., 1607; P., 222.

Harvey, *Alfred William*, a note on phenyldimethylallylammonium compounds, T., 412; P., 64.
Henderson, *George Gerald*, and *Thomas* **Gray**, the action of chromyl chloride on stilbene, styrene, and phenanthrene, T., 1041; P., 173.
Hewitt, *John Theodore*, *James* **Kenner**, and *Harry* **Silk**, the bromination of phenols, T., 1225; P., 125.
Hewitt, *John Theodore*. See also *John Jacob* **Fox**.
Hibbert, *Harold*, and *John Joseph* **Sudborough**, estimation of hydroxyl groups in carbon compounds, T., 933.
Hibbert, *Harold*. See also *John Joseph* **Sudborough**.
Holmes, *John*. See *Thomas Edward* **Thorpe**.
Holroyd, *George William Fraser*, on a magnesium oxybromide, P., 38.
Hummel, *John James*. See *Arthur George* **Perkin**.

I.

Ingle, *Herbert*, the available plant food in soils, P., 194; discussion, P., 194.
Irvine, *James Colquhoun*, and *Adam* **Cameron**, the alkylation of galactose, T., 1071; P., 174.
Irvine, *James Colquhoun*. See also *Thomas* **Purdie**.

J.

Japp, *Francis Robert*, and *William* **Maitland**, reduction products of $\alpha\beta$-dimethylanhydroacetonebenzil, and condensation products of benzaldehyde with ketones, T., 1473; P., 204.
interaction of sodium phenylglycidate with phenylhydrazine, T., 1490; P., 205.
α-benzoyl-β-trimethacetylstyrene, T., 1496; P., 205.
Japp, *Francis Robert*, and *James* **Wood**, preliminary notice of some condensations of phenanthraquinone with ketonic compounds, P., 221.
Johnson, *Frederick Murray Godschall*. See *Bertram Dillon* **Steele**.
Jones, *David Trevor*, and *George* **Tattersall**, a new synthesis of isocaprolactone and certain derivatives, T., 1691; P., 218.
Jones, *Humphrey Owen*, optically active nitrogen compounds; *d*- and *l*-phenylbenzylmethylethylammonium salts, T., 223; P., 6.
Jones, *Humphrey Owen*. See also (*Sir*) *James* **Dewar**.
Joseph, *Alfred Francis*. See *John Edwin* **Mackenzie**.
Jowett, *Hooper Albert Dickinson*, the constitution of epinephrine, T., 192; P., 18.
the fusion of isopilocarpine with caustic potash—a correction, P., 14.

K.

Kenner, *James*. See *John Theodore* **Hewitt**.
Kipping, *Frederic Stanley*, organic derivatives of silicon; preparation of alkylsilicon chlorides, P., 15.
Kipping, *Frederic Stanley*, and *Arthur Henry* **Salway**, the arrangement in space of the groups combined with the tervalent nitrogen atom, T., 438; P., 39.
Kipping, *Frederic Stanley*. See also *Frank* **Tutin**.

L.

Lander, *George Druce*, imino-ethers and allied compounds corresponding with the substituted oxamic esters, T., 984; P., 131.
Lander, *George Druce*, and *Harry Edwin* **Laws**, amidechloroiodides, T., 1695; P., 217.
Lane, *Joseph Henry*. See *Raphael* **Meldola**.
Lapworth, *Arthur*, the action of halogens on compounds containing the carbonyl group, T., 30.
reactions involving the addition of hydrogen cyanide to carbon compounds. Part II. Cyanohydrins regarded as complex acids, T., 1206; P., 177.
reactions involving the addition of hydrogen cyanide to carbon compounds. Part III. Action of potassium cyanide on mesityl oxide, T., 1214; P., 177.
note on the addition of hydrogen cyanide to unsaturated compounds, P., 245.
Lapworth, *Arthur*. See also *Douglas Anderson* **Bowack** and *Archie Cecil Osborn* **Hann**.
Lauder, *Alexander*. See *James Johnston* **Dobbie**.
Laws, *Harry Edwin*. See *George Druce* **Lander**.
Leach, *Frederick Peacock*. See *William Augustus* **Tilden**.

Lees, *Frederic Herbert*, some derivatives of umbellulone, T., 639; P., 88.

Lees, *Frederic Herbert*. See also *Frederick Belding* **Power**.

Le Sueur, *Henry Rondel*, the action of heat on α-hydroxycarboxylic acids. Part I. α-Hydroxystearic acid, T., 827; P., 14, 132; discussion, P., 133.

Δ^{α}-oleic acid, T., 1708; P., 207.

Lewis, *William Henry*. See *Frederick Daniel* **Chattaway**.

Ling, *Arthur Robert*. See *Bernard Francis* **Davis**.

Lowe, *Frank Harold*. See *James Codrington* **Crocker**.

Lowry, *Thomas Martin*, studies of dynamic isomerism. III. Solubility as a means of determining the proportions of dynamic isomerides in solution. Equilibrium in solutions of glucose and of galactose, T., 1551; P., 108.

Lowry, *Thomas Martin*, and *William* **Robertson**, studies of dynamic isomerism. II. Solubility as a means of determining the proportions of dynamic isomerides in solution. Equilibrium between the normal and pseudo-nitro-derivatives of camphor, T., 1541.

M.

McIntosh, *Douglas*. See *Ebenezer Henry* **Archibald** and *James Wallace* **Walker**.

McKenzie, *Alexander*, the esterification of *r*-mandelic acid by menthol and borneol, T., 378; P., 41.

studies in asymmetric synthesis. I. Reduction of menthyl benzoylformate. II. Action of magnesium alkyl haloids on menthyl benzoylformate, T., 1249; P., 178.

Mackenzie, *John Edwin*, and *Alfred Francis* **Joseph**, the action of sodium methoxide and its homologues on benzophenone chloride and benzylidene chloride. Part II., T., 790; P., 124; discussion, P., 125.

Maitland, *William*. See *Francis Robert* **Japp**.

Marsden, *Fred*. See *Arthur George* **Green**.

Marshall, *Arthur*, the vapour pressures of liquid mixtures of restricted mutual solubility; preliminary note, P., 142.

Marshall, *Joseph*. See *Julius Berend* **Cohen**.

Meldola, *Raphael*, and *Lewis* **Eynon**, a method for the direct production of certain aminoazo-compounds, P., 250; discussion, P., 250.

Meldola, *Raphael*, and *Joseph Henry* **Lane**, the isomerism of the amidines of the naphthalene series (fifth communication on anhydro-bases), T., 1592; P., 214; discussion, P., 215.

Mellor, *Joseph William*, the union of hydrogen and chlorine. VIII. The action of temperature on the period of induction, P., 53.

the union of hydrogen and chlorine. IX. Further experiments on the action of light on chlorine, P., 53.

the union of hydrogen and chlorine. X. Action of the silent discharge on chlorine, P., 140.

the union of hydrogen and chlorine. XI. Rate of decay of the activity of gaseous chlorine, P., 196.

Mendeléeff, *Dmitri I.*, congratulatory address to, P., 17.

Micklethwait, (*Miss*) *Frances Mary Gore*. See *Martin Onslow* **Forster** and *Gilbert Thomas* **Morgan**.

Miller, *James*. See *Julius Berend* **Cohen**.

Moore, *Charles Watson*, the formation of phloroglucinol by the interaction of ethyl malonate with its sodium derivative, T., 165.

Morgan, *Gilbert Thomas*, notes on analytical chemistry, T., 1001; P., 167.

Morgan, *Gilbert Thomas*, and (*Miss*) *Frances Mary Gore* **Micklethwait**, 6-aminocoumarin, T., 1230; P., 177.

Morgan, *Gilbert Thomas*, (*Miss*) *Frances Mary Gore* **Micklethwait**, and *Herbert Ben* **Winfield**, a study of the substitution products of *ar*-tetrahydro-α-naphthylamine. 4-Bromotetrahydro-α-naphthylamine and *ar*-tetrahydro-α-naphthylamine-4-sulphonic acid, T., 736; P., 109.

Morrell, *Robert Selby*, and *Albert Ernest* **Bellars**, the separation of β-crotonic acid from α-crotonic acid, T., 345; P., 47.

Morrell, *Robert Selby*, and *Edward Kenneth* **Hanson**, the resolution of αβ-dihydroxybutyric acid into its optically active constituents, T., 197; P., 20.

studies on the dynamic isomerism of α- and β-crotonic acids. Part I., T., 1520; P., 191.

N.

Needham, *Edward Rushton*, and *William Henry* **Perkin**, *jun.*, *o*-nitrobenzoylacetic acid, T., 148; P., 10.

Neville, *Allen*, and *Robert Howson* **Pickard**, studies on optically active carbimides. Part I., T., 685; P., 114.

O.

Ostwald, *Wilhelm*, Faraday lecture—elements and compounds, T., 506; P., 78.

O'Sullivan, *James*, a comparison of the products of the hydrolysis of potato starch with those obtained from cereal starches, T., 616; P., 65.

P.

Page, *Theodore Henry*. See *Herbert Edward* **Burgess**.

Patterson, *Thomas Stewart*, the comparison of the rotation-value of methyl, ethyl, and *n*-propyl tartrates at different temperatures, T., 765; P., 114.

the influence of solvents on the rotation of optically active compounds. Part V. The optical activity of certain tartrates in aqueous solution, T., 1116; P., 142.

the influence of solvents on the rotation of optically active compounds. Part VI. The relationship between solution-volume and rotation of the alkyl and potassium alkyl tartrates in aqueous solution, T., 1153; P., 162.

Patterson, *Thomas Stewart*, and *Francis* **Taylor**, studies in optical superposition. Part I., P., 252.

Perkin, *Arthur George*, cyanomaclurin, P., 170.

the estimation of acetyl groups, P., 171.

note on the catechins, P., 171.

a constituent of Java indigo, P., 172.

Perkin, *Arthur George*, and, in part, the late *John James* **Hummel**, the colouring principle of the flowers of the *Butea frondosa*, T., 1459; P., 169.

Perkin, *Arthur George*, and *Frederick Mollwo* **Perkin**, studies on the electrolytic oxidation of phenols. Part I., T., 243; P., 18.

Perkin, *Arthur George*, and *Samuel* **Phipps**, notes on some natural colouring matters, T., 56.

Perkin, *Arthur George*. See also *Arthur George* **Green**.

Perkin, *William Henry, jun.*, δ-ketohexahydrobenzoic acid, T., 416; P., 51.

experiments on the synthesis of the terpenes. Part I. Synthesis of terpin, *i*-terpineol, and dipentene, T., 654; P., 86.

Perkin, *William Henry, jun.*, and *Emanuel* **Schiess**, derivatives of β-resorcylic acid and of protocatechuic acid, T., 159.

Perkin, *William Henry, jun.*, and (*Miss*) *Alice Emily* **Smith**, the cis- and trans-modifications of αα*γ*-trimethylglutaconic acid, T., 155; P., 10.

Perkin, *William Henry, jun.*, and *Joceyln Field* **Thorpe**, αα-dimethylbutane-αβδ-tricarboxylic acid, γ-keto-ββ-dimethylpentamethylene-α-carboxylic acid, and the synthesis of inactive α-campholactone, of inactive α-campholytic acid, and of β-campholytic acid (isolauronolic acid), T., 128.

Perkin, *William Henry, jun.* See also *Edward Rushton* **Needham**.

Phipps, *Samuel*. See *Arthur George* **Perkin**.

Pickard, *Robert Howson*. See *Allen* **Neville**.

Pickles, *Samuel Shrowder*, and *Charles* **Weizmann**, the effect of anhydrides on organo-magnesium bromides. Part I. The action of phthalic anhydride on magnesium α-naphthyl bromide, P., 201.

the halogen derivatives of naphthacenequinone, P., 220.

Plimmer, *Robert Henry Aders*, separation and estimation of silver cyanide and silver chloride, T., 12.

Pollok, *James Holms*, the heat of formation of glucinum chloride, T., 603; P., 61.

the composition of beryl, T., 1630; P., 189.

Pope, *William Jackson*, and *George* **Clarke**, *jun.*, the resolution of externally compensated dihydro-α-methylindole, T., 1330; P., 182.

Power, *Frederick Belding*, and *Frank Howorth* **Gornall**, the constituents of chaulmoogra seeds, T., 838; P., 135.

the constitution of chaulmoogric acid, T., 851; P., 136.

gynocardin, a new cyanogenetic glucoside; preliminary note, P., 137.

Power, *Frederick Belding*, and *Frederic Herbert* **Lees**, the constituents of the essential oil of Californian laurel, T., 629; P., 88.

Power, *Frederick Belding*, and *Frank* **Tutin**, a lævorotatory modification of quercitol, T., 624; P., 87.

Prentice, *Bertram*, the constitution of pyrazolidone derivatives; β-phenylazoisovaleric acid and *s*-β-phenylhydrazinobutyric acid, T., 1667; P., 220.

Price, *Thomas Slater*, and *John Albert Newton* **Friend**, the effect of colloidal platinum on mixtures of Caro's persulphuric acid and hydrogen peroxide, T., 1526; P., 187.

Prout, *William*, presentation of photograph of portrait of, by the Rev. T. J. Prout, P., 2.

Purdie, *Thomas*, and *James Colquhoun* **Irvine**, the stereoisomeric tetramethyl methylglucosides and tetramethyl glucose, T., 1049; P., 173.

R.

Raper, *Henry Stanley*, *John Thomas* **Thompson**, and *Julius Berend* **Cohen**, the action of sodium hypochlorite on the aromatic sulphonamides, T., 371; P., 55.

Raper, *Henry Stanley*. See also *Julius Berend* **Cohen**.

Rây, *Prafulla Chandra*, mercuric nitrite and its decomposition by heat, T., 523; P., 57; discussion, P., 58.

theory of the production of mercurous nitrite and of its conversion into various mercury nitrates, P., 217.

the nitrites of the alkali metals and metals of the alkaline earths and their decomposition by heat, P., 240.

the sulphate and the phosphate of the dimercurammonium series, P., 249.

Remfry, *Frederick George Percy*. See *Harold* **Baron**.

Renouf, (*Miss*) *Nora*. See *Arthur William* **Crossley**.

Report of the International Committee on atomic weights, P., 2.

Roberts, *William*. See *John Joseph* **Sudborough**.

Robertson, *Philip Wilfred*, studies on comparative cryoscopy. Part II. The aromatic acids in phenol solution, T., 1617; P., 222.

Robertson, *William*. See *Thomas Martin* **Lowry**.

Roscoe, (*Sir*) *Henry Enfield*, congratulatory address to, on the occasion of the Jubilee of his Doctorate, and his reply, P., 84, 106.

Ruhemann, *Siegfried*, olefinic ketonic compounds, T., 1451; P., 206.

the combination of mercaptans with olefinic ketonic compounds, P., 251.

Ruhemann, *Siegfried*, and *Edwin Roy* **Watson**, contributions to the knowledge of the β-diketones, T., 456; P., 48.

the action of organic bases on olefinic ketonic compounds, T., 1170; P., 175.

S.

Salway, *Arthur Henry*. See *Frederic Stanley* **Kipping**.

Sand, *Henry Julius Salomon*, and *John Edward* **Hackford**, the electrolytic estimation of minute quantities of arsenic, T., 1018; P., 123; discussion, P., 123.

Schiess, *Emanuel*. See *William Henry* **Perkin**, *jun.*

Scholefield, *Fred*. See *Arthur George* **Green**.

Scott, *Alexander*, the vapour density of hydrazine hydrate, T., 913; P., 84.

the combining volumes of carbon monoxide and oxygen, P., 85.

the decomposition of oxalates by heat, P., 156.

some alkyl derivatives of sulphur, selenium, and tellurium, P., 156.

Senier, *Alfred*, and *Percy Corlett* **Austin**, halides of the acridines and naphthacridines, T., 1196; P., 176.

Silberrad, *Oswald*, the action of ethyl β-iodopropionate on ethyl disodioethanetetracarboxylate, T., 611; P., 61.

the constitution of nitrogen iodide, P., 192; discussion, P., 193.

the metallic derivatives of nitrogen iodide and their bearing on its constitution, P., 241.

Silberrad, *Oswald*, and *Thomas Hill* **Easterfield**, studies on ethyl carboxyglutarate, T., 862; P., 114, 141.

Silk, *Harry*. See *John Theodore* **Hewitt**.

Simmonds, *Charles*, reduced silicates, T., 681; P., 91.

Slator, *Arthur*, the chemical dynamics of the reactions between sodium thiosulphate and organic halogen compounds. Part I. Alkyl haloids, T., 1286; P., 180.

the decomposition of ethylene iodide under the influence of the iodide ion, T., 1697; P., 221.

Smith, (*Miss*) *Alice Emily*. See *William Henry* **Perkin**, *jun.*

Smith, *Clarence*, studies in the tetrahydronaphthalene series. Part II. Halogen derivatives of *ar*-tetrahydro-β-naphthylamine, T., 728; P., 110.

studies in the tetrahydronaphthalene series. Part III. Reaction between *ar*-tetrahydro-β-naphthylamine and formaldehyde, T., 732; P., 111.

Sonstadt, *Edward*, the attractive force of crystals for like molecules in saturated solutions, P., 244.

Southerden, *Frank*, the conversion of isopropyl alcohol into isopropyl ether by sulphuric acid, P., 117.

Spencer, *Arthur*. See *James Wallace* **Walker**.

Spencer, *James Frederick*. See *Arthur Walsh* **Titherley**.

Sprankling, *Charles Henry Graham*. See *William Arthur* **Bone**.

Steele, *Bertram Dillon*, and *Frederick Murray Godschall* **Johnson**, the solubility curves of the hydrates of nickel sulphate, T., 113.

Stern, *Arthur Landauer*, the so-called "hydrocellulose," T., 336; P., 43.

Stockings, *William Ernest*. See *William Arthur* **Bone** and *Julien* **Drugman**.

Sudborough, *John Joseph*, influence of radium radiations on labile stereoisomerides, P., 166.

Sudborough, *John Joseph*, and *Harold* **Hibbert**, differentiation of primary, secondary, and tertiary amines; preliminary note, P., 165.

Sudborough, *John Joseph*, *Harold* **Hibbert**, and *Stanley H.* **Beard**, additive compounds of anhydrous magnesium bromide with organic oxygen and nitrogen compounds, P., 165.

Sudborough, *John Joseph*, and *William* **Roberts**, diortho-substituted benzoic acids. Part V. Formation of salts from diortho-substituted benzoic acids and organic bases, T., 234.

Sudborough, *John Joseph*. See also *William Arthur* **Bone** and *Harold* **Hibbert**.

T.

Tattersall, *George*, the resolution of *dl*-methylhydrindamine; isomeric salts of *d*-and *l*-methylhydrindamines with *d*-chlorocamphorsulphonic acid, T., 169.

Tattersall, *George*. See also *David Trevor* **Jones**.

Taylor, *Francis*. See *Thomas Stewart* **Patterson**.

Taylor, (*Miss*) *Millicent*. See *Francis Ernest* **Francis**.

Thompson, *John Thomas*. See *Henry Stanley* **Raper**.

Thorpe, *Jocelyn Field*. See *Harold* **Baron** and *William Henry* **Perkin**, *jun.*

Thorpe, *Thomas Edward*, the interdependence of the physical and chemical criteria in the analysis of butter-fat, T., 248; P., 12.

a simple thermostat for use in connection with the refractometric examination of oils and fats, T., 257; P., 12.

Thorpe, *Thomas Edward*, and *John* **Holmes**, the estimation of methyl alcohol in presence of ethyl alcohol, T., 1.

Tilden, *William Augustus*, presidential address, T., 493; P., 72.

scientific progress of the Chemical Society, T., 493; P., 72.

the action of nitrosyl chloride on pinene, T., 759; P., 122; discussion, 123.

Tilden, *William Augustus*, and *Frederick Peacock* **Leach**, limonene nitrosocyanides, T., 931; P., 163.

Tinkler, *Charles Kenneth*. See *James Johnston* **Dobbie**.

Titherley, *Arthur Walsh*, the acylation of amides, T., 1673; P., 187.

Titherley, *Arthur Walsh*, and *James Frederick* **Spencer**, the condensation of furfuraldehyde with sodium succinate, T., 183; P., 13.

Tutin, *Frank*, and *Frederic Stanley* **Kipping**, the four optically isomeric *l*-menthylamines and their salts, T., 65.

Tutin, *Frank*. See also *Frederick Belding* **Power**.

Twiss, *Douglas Frank*. See *Percy Faraday* **Frankland**.

V.

Veley, *Victor Herbert*, hydrolysis of ammonium salts, P., 248; discussion, P., 248.

W.

Wade, *John*, and *Horace* **Finnemore**, influence of moist alcohol and ethyl chloride on the boiling point of chloroform, T., 938; P., 163.

Wadmore, *John Mello*. See *Frederick Daniel* **Chattaway**.

Walker, *James Wallace*, ionisation and chemical combination, T., 1082; P., 133.

Walker, *James Wallace*, *Douglas* **McIntosh**, and *Ebenezer Henry* **Archibald**, ionisation and chemical combination in the liquefied halogen hydrides and hydrogen sulphide, T., 1098; P., 134.

Walker, *James Wallace*, and *Arthur* **Spencer**, some compounds of aluminium chloride with organic substances containing oxygen, T., 1106; P., 135.

Warth, *Frederick John*. See *Robert Crosbie* **Farmer**.

Watson, *Edwin Roy*, acetylenic ketones, T., 1319; P., 181.

Watson, *Edwin Roy*. See also *Siegfried* **Ruhemann.**

Weizmann, *Charles*. See *Samuel Shrowder* **Pickles.**

Werner, *Emil Alphonse*, the decomposition of chloral hydrate by sodium hydroxide and by certain salts, T., 1376; P., 184.

Werner, *Emil Alphonse*, researches on chromorganic acids; the behaviour of chromic hydroxide towards oxalic acid and certain other organic acids, T., 1438; P., 186.

the condensation of formaldehyde with acetone (preliminary note), P., 196.

Wheeler, *Richard Vernon*. See *William Arthur* **Bone.**

Whiteley, (*Miss*) *Martha Annie*, the oxime of mesoxamide (isonitrosomalonamide) and some allied compounds. Part III. Tetra-substituted derivatives, P., 92.

Willcock, (*Miss*) *Edith Gertrude*, note on the influence of certain salts and organic substances on the oxidation of guaiacum, P., 197.

Williamson, *Alexander*, presidential remarks on the death of, P., 121.

Winfield, *Herbert Ben*. See *Gilbert Thomas* **Morgan.**

Wood, *James*. See *Francis Robert* **Japp.**

INDEX OF SUBJECTS.

TRANSACTIONS AND PROCEEDINGS. 1904.

(Marked T. and P. respectively.)

A.

Abietene (EASTERFIELD and BAGLEY), T., 1244; P., 112.

Abietic acid, constitution of (EASTERFIELD and BAGLEY), T., 1238; P., 112.

Absorption spectrum. See under Photochemistry.

Acacatechin (PERKIN), P., 172.

Acetaldehyde, action of hydrogen sulphide on solutions of (DRUGMAN and STOCKINGS), P., 115.

Acetic acid in Citrus oils (BURGESS and PAGE), T., 1327; P., 181.

compound of, with aluminium chloride (WALKER and SPENCER), T., 1108; P., 135.

Acetic acid, bromocyano- and cyano-, menthyl esters, rotation of (BOWACK and LAPWORTH), T., 43.

cyano-, ethyl ester, condensation of, with its sodium derivative (BARON, REMFRY, and THORPE), T., 1726; P., 243.

Acetoacetic acid, ethyl ester, ultra-violet absorption spectra of (BALY and DESCH), T., 1029; P., 157.

additive products of, with benzylideneaniline (FRANCIS and TAYLOR), T., 998; P., 113.

menthyl ester, condensation of, with aldehydes (HANN and LAPWORTH), T., 46.

Acetone, condensation of, with formaldehyde (WERNER), P., 196.

action of halogens on, and the effect of acids on the velocity of the reaction (LAPWORTH), T., 31.

additive compounds of, with halogen hydrides (ARCHIBALD and MCINTOSH), T., 924; P., 139.

Acetonedicarboxylic acid, cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1738.

Acetophenone, *o*- and *p*-amino-, acyl derivatives (CHATTAWAY), T., 388; P., 43.

Acetophenones, acylchloroamino-, intramolecular rearrangement in (CHATTAWAY), T., 340; P., 44.

3-Acetoxy-4:5-diphenyl-2-*tert.*-butylfuran (JAPP and MAITLAND), T., 1498.

3-Acetoxy-2-phenyl-4:5-diphenylenefuran (JAPP and WOOD), P., 221.

Acetylacetone, ultra-violet absorption spectra of (BALY and DESCH), T., 1029; P., 157.

Acetyldiphenylmethyltetrahydropyrimidine (RUHEMANN and WATSON), T., 459; P., 48.

Acetyl groups, estimation of (PERKIN), P., 171.

β-Acetyl-α-phenylpropionic acid and its amide (RUHEMANN), T., 1455; P., 206.

Acid, $C_{11}H_{16}O_3$, (two) from the nitrile from carvone and hydrogen cyanide (HANN and LAPWORTH), P., 54.

$C_{12}H_{16}O_4$, and $C_{12}H_{17}O_3N$, from the cyanohydrin from carvone and hydrogen cyanide (HANN and LAPWORTH), P., 54.

$C_{17}H_{30}O_4$, and $C_{17}H_{30}O_5$, from the oxidation of chaulmoogric acid (POWER and GORNALL), T., 860; P., 137.

$C_{17}H_{34}O_2$, from the aldehyde $C_{17}H_{34}O$ from α-hydroxystearic acid (LE SUEUR), P., 14.

Acids, aromatic, and their derivatives in phenol solution, relation between constitution and change of association of (ROBERTSON), T., 1617; P., 222.

Acridine haloids (SENIER and AUSTIN), T., 1200; P., 176.

Acridine series, studies in the (FOX and HEWITT), T., 529; P., 9.

Acyl thiocyanates, tautomeric character of the (DORAN), P., 20.

Acylaminoketones, isomeric change of diacylanilides into (CHATTAWAY), T., 386; P. 43; (CHATTAWAY and LEWIS), T., 589, 1663; P., 60, 223.

1-Acylchloroamino-*di*- and -*tri*-halogenbenzenes and their isomerides (CHATTAWAY and WADMORE), T., 180; P., 16.

Address, congratulatory, to Prof. Mendeléeff, P., 17.
to Sir Henry E. Roscoe and his reply, P., 84, 106.
presidential (TILDEN), T., 493; P., 72.

Adrenaline. See Epinephrine.

AFFINITY, CHEMICAL:—
Affinity constants of aniline and its derivatives (FARMER and WARTH), T., 1713; P., 244.
Association, change of, of aromatic acids and their derivatives in phenol solution (ROBERTSON), T., 1617; P., 222.
Changes, intramolecular and originally reversible, extending over prolonged periods of time (FRISWELL), P., 36.
Chemical combination and ionisation (WALKER), T., 1082; P., 133.
in the liquefied halogen hydrides and hydrogen sulphide (WALKER, MCINTOSH, and ARCHIBALD), T., 1098; P., 134.
Chemical dynamics of alkyl iodides (BURKE and DONNAN), T., 555; P., 46.
of the reactions between sodium thiosulphate and organic halogen compounds (SLATOR), T., 1286; P., 180.
Dynamic isomerism, studies of (LOWRY and ROBERTSON), T., 1541; (LOWRY), T., 1551; P., 108.
of α- and β-crotonic acids (MORRELL and HANSON), T., 1520; P., 191.
Equilibrium in solutions of glucose and of galactose (LOWRY), T., 1551; P., 108.
between the *n*- and ψ-nitro-derivatives of camphor (LOWRY and ROBERTSON), T., 1541.
Velocity of hydrolysis of glucosidic acetates (ARMSTRONG and ARUP), T., 1046; P., 169.
of the isomeric tetramethyl α- and β-methylgalactosides (IRVINE and CAMERON), T., 1079; P., 174.
of tetramethyl α- and β-methylglucosides (PURDIE and IRVINE), T., 1065; P., 173.
Velocity of liberation of iodine from ethylene iodide and bromoiodide in presence of potassium iodide (SLATOR), T., 1697; P., 221.

AFFINITY, CHEMICAL:—
Velocity of the reaction between the halogens and carbonyl compounds, and the effect of acids on it (LAPWORTH), T., 30.

Alcohols, additive compounds of, with halogen hydrides (ARCHIBALD and MCINTOSH), T., 928; P., 139.

Aldehyde, $C_{17}H_{34}O$, and its oxime and semicarbazone, from α-hydroxystearic acid (LE SUEUR), P., 14.

Aldehydes, synthesis of, by the action of nickel carbonyl on aromatic hydrocarbons (DEWAR and JONES), T., 212; P., 6.
condensation of, with menthyl acetoacetate (HANN and LAPWORTH), T., 46.
aromatic, action of nitrogen sulphide on (FRANCIS and DAVIS), T., 259, 1535; P., 21, 204.

β-Aldehydic acids, optically active esters of (HANN and LAPWORTH), T., 46.

Alkali chlorides, action of radium rays on, and analogous heat effects (ACKROYD), T., 812; P., 108.
magnesium and nickel chromates, hexahydrated (BRIGGS), T., 677; P., 90.
*peri*odides, formation of, in nitrobenzene solution (DAWSON and GOODSON), T., 796; P., 126.
metals, nitrites of, and their decomposition by heat (RÂY), P., 240.

Alkaline earth *peri*odides, formation of, in nitrobenzene solution (DAWSON and GOODSON), T., 796; P., 126.
metals, nitrites of, and their decomposition by heat (RÂY), P., 240.

Alkaline hydroxides and ammonia, the relative strengths of the, as measured by their action on cotarnine (DOBBIE, LAUDER, and TINKLER), T., 121.

Alkyl haloids, chemical dynamics of the reactions between sodium thiosulphate and (SLATOR), T., 1286; P., 180.
iodides, chemical dynamics of (BURKE and DONNAN), T., 555; P., 46.

***N*-Alkylamidines** of the naphthalene series, synthesis of (MELDOLA and LANE), T., 1600; P., 214.

Alkylcarbamides, decomposition of (FAWSITT), T., 1581; P., 126, 203.

Alkyl-β-naphthylamines, 1-nitro-, preparation of, and their salts, and reduction of their acetyl derivatives (MELDOLA and LANE), T., 1601; P. 214.

Aluminium chloride, compounds of, with organic substances containing oxygen (WALKER and SPENCER), T., 1106; P., 135.
Amidechloroiodides and their reactions (LANDER and LAWS), T., 1695; P., 217.
Amides, acylation of (TITHERLEY), T., 1673; P., 187.
Amidines of the naphthalene series, isomerism of (MELDOLA and LANE), T., 1592; P., 214.
Amines, primary, secondary, and tertiary, differentiation of (SUDBOROUGH and HIBBERT), P., 165.
Aminoketones, aromatic, intramolecular rearrangement in derivatives of (CHATTAWAY), T., 340; P., 44.
Ammonia and the alkaline hydroxides, the relative strengths of, as measured by their action on cotarnine (DOBBIE, LAUDER, and TINKLER), T., 121.
Ammonium salts, hydrolysis of (VELEY), P., 248.
thiocyanate and thiocarbamide, freezing point curves of (FINDLAY), T., 403; P., 49.
*iso***Amygdalin** (DAKIN), T., 1512; P., 200.
Amygdalinic acid, preparation and hydrolysis of (DAKIN), T., 1513; P., 200.
Analysis, rapid ultimate, of certain organic compounds (COLLIE), T., 1111; P., 174.
Analytical chemistry, notes on (MORGAN), T., 1001; P., 167.
Anhydrides, action of Grignard's reaction on (PICKLES and WEIZMANN), P., 201.
Aniline and its derivatives, affinity constants of (FARMER and WARTH), T., 1713; P., 244.
N-diacyl derivatives, isomeric change of, into acylaminoketones (CHATTAWAY), T., 386; P., 43; (CHATTAWAY and LEWIS), T., 589, 1663; P., 60, 223.
acyl-halogen derivatives, and their isomerides (CHATTAWAY and WADMORE), T., 180; P., 16.
Anilinobenzoylstyrene (WATSON), T., 1326; P., 181.
β-Anilinobenzylacetoacetic acid, ethyl ester (RUHEMANN and WATSON), T., 1177; (RUHEMANN), T., 1451; P., 206.
δ-Anilinobenzylacetylacetone, *m*- and *p*-chloro- (RUHEMANN and WATSON), T., 1175; P., 175.
Anilinoketo-. See Ketoanilino-.
Anisaldehyde, action of nitrogen sulphide on (FRANCIS and DAVIS), T., 261, 1535; P., 21, 204.
Anisamidine sulphate (FRANCIS and DAVIS), T., 1535; P., 204.
Anisole, compound of, with aluminium chloride (WALKER and SPENCER), T., 1107; P., 135.
Anisoylanisamidine (FRANCIS and DAVIS), T., 1540; P., 204.
Annual General Meeting, T., 477; P., 65.
Anthracene and its homologues, synthesis of, by the action of nickel carbonyl on aromatic hydrocarbons (DEWAR and JONES), T., 212; P., 6.
Arsenic, estimation of minute quantities of, electrolytically (SAND and HACKFORD), T., 1018; P., 123.
separation of, by distillation in hydrogen chloride (MORGAN), T., 1001; P., 167.
Artocarpus integrifolia, cyanomaclurin from (PERKIN), P., 170.
Arylamidino-oxalic esters, formation and transformations of, and the effect of heat on (LANDER), T., 990; P., 132.
Arylsulphon*di*chloroamides (CHATTAWAY), P., 168.
Association. See Affinity.
Atomic weights, report of the International Committee on, P., 2.
table of, P., 4.
Azo-compounds, amino-, production of (MELDOLA and EYNON), P., 250.

B.

Balance sheet of the Chemical Society, and of the Research Fund. See Annual General Meeting, T., 484.
Base, $C_{16}H_{16}N_2$, and its hydrochloride, from 8-amino-5-hydroxy-3:7:10-trimethyldihydroacridine (FOX and HEWITT), T., 532; P., 9.
Bases, organic, action of, on olefinic ketonic compounds (RUHEMANN and WATSON), T., 1170; P., 175.
salts of, with di-*o*-substituted benzoic acids (SUDBOROUGH and ROBERTS), T., 234.
Benzaldehyde, condensation of, with ketones (JAPP and MAITLAND), T., 1473; P., 204.
potassium cyanide (LAPWORTH), T., 1208; P., 177.
Benzene, isomeric *di*chloro-, nitration products of (HARTLEY and COHEN), T., 865; P., 143.
*m-di*nitro-, compound of, with aluminium chloride (WALKER and SPENCER), T., 1108; P., 135.

Benzene-2-azo-4-bromo-α-naphthylamine, *o*-, *m*-, and *p*-nitro- (MORGAN, MICKLETHWAIT, and WINFIELD), T., 751.

Benzenediazo-1-amino-4-bromotetrahydronaphthalene, *o*- and *p*-nitro- (MORGAN, MICKLETHWAIT, and WINFIELD), T., 749; P., 110.

Benzene-*m*-disulphon-anilide and **-phenylchloroamide** (CHATTAWAY), T., 1187.

Benzenesulphon-anilide and **-toluidides**, and *m*-nitro- (CHATTAWAY), T., 1185.

Benzenesulphon-anilide, -toluidides, -4-*m*-xylidide, and **-naphthalides**, action of sodium hypochlorite on (RAPER, THOMPSON, and COHEN), T., 371; P., 55.

Benzenesulphonarylchloroamides and *m*-nitro- (CHATTAWAY), T., 1181; P., 168.

Benzenesulphonchloroalkylamides (CHATTAWAY), P., 208.

Benzhydrol (MACKENZIE and JOSEPH), T., 791; P., 124.

Benzoic acid, ethyl ester, compound of, with aluminium chloride (WALKER and SPENCER), T., 1107; P., 135.

Benzoic acid, bromo-, 2:4:6-*tri*bromo-3-amino-, nitro-, and *s*-*tri*nitro-derivatives, salts of, with organic bases (SUDBOROUGH and ROBERTS), T., 234.

isomeric chlorobromo- and iodo-, menthyl esters, rotation of (COHEN and RAPER), T., 1262, 1271; P., 179.

2:4-*di*hydroxy-. See β-Resorcylic acid.

3:4-*di*hydroxy-. See Protocatechuic acid.

Benzophenone chloride, action of sodium alkyloxides on (MACKENZIE and JOSEPH), T., 790; P., 124.

o- and *p*-amino-, dibenzoyl derivatives, transformation of, into 1-benzoylamino-2:4-dibenzoylbenzene (CHATTAWAY and LEWIS), T., 1663; P., 223.

acylchloroamino-derivatives, intramolecular rearrangement in (CHATTAWAY), T., 342; P., 44.

Benzophenylimide chloride, action of hydrogen iodide on (LANDER and LAWS), T., 1695; P., 217.

Benzo-*p*-tolylamide chloroiodide (LANDER and LAWS), T., 1696; P., 218.

Benzoylacetic acid, *o*-nitro-, and its ethyl ester, and its salts (NEEDHAM and PERKIN), T., 148; P., 10.

Benzoylacetoacetic acid, *o*-nitro-, ethyl ester (NEEDHAM and PERKIN), T., 151; P., 10.

Benzoylformic acid, menthyl ester, reduction of, and action of magnesium alkyl haloids on (MCKENZIE), T., 1249; P., 178.

Benzoylmethylphenylcarbamic acids, 4:2- and 2:4-, esters (CHATTAWAY and LEWIS), T., 593; P., 60.

Benzoylphenylacetylene, action of aniline on, and its phenylhydrazone (WATSON), T., 1326; P., 181.

β-Benzoyl-α-phenylpropionic acid, resolution of, and its oxime, semicarbazone, and *p*-nitrophenylhydrazone (HANN and LAPWORTH), T., 1360; P., 183.

β-Benzoyl-α-phenylpropionitrile and its condensation with benzylideneacetophenone (HANN and LAPWORTH), T., 1358; P., 183.

Benzoylsuccinamic acid (TITHERLEY), T., 1689; P., 188.

Benzoylsuccinimide (TITHERLEY), T., 1685; P., 188.

α-Benzoyl-β-trimethylacetylstyrene and its reactions (JAPP and MAITLAND), T., 1496; P., 205.

Benzylacetoacetic acid, cyano-, ethyl ester, and its reactions (RUHEMANN), T., 1456; P., 206.

Benzylacetylacetone, cyano-, and its reactions (RUHEMANN), T., 1454; P., 206.

Benzylidene chloride, action of sodium naphthoxide on (MACKENZIE and JOSEPH), T., 793; P., 124.

Benzylideneacetoacetic acid, and *m*-nitro-, ethyl esters, action of bases on (RUHEMANN and WATSON), T., 1177.

Benzylidene-acetoacetic and **-bisacetoacetic acids**, menthyl esters, rotation of (HANN and LAPWORTH), T., 54.

Benzylideneacetone *di*bromide, action of alcoholic potash on (RUHEMANN and WATSON), T., 1180; P., 176.

bromo-, and its phenylhydrazone (RUHEMANN and WATSON), T., 464.

Benzylideneacetophenone, addition of hydrogen cyanide to (HANN and LAPWORTH), T., 1355; P., 183.

*di*bromide, and *p*-nitro-, action of alcoholic potash on (RUHEMANN and WATSON), T., 456; P., 48.

amino- (RUHEMANN and WATSON), T., 1181, 1323; P., 176, 181.

bromo-, action of alkalis and bases on (WATSON), T., 1322; P., 181.

2:4:4′:5′-*tetra*hydroxy-. See Butein.

Benzylideneacetylacetone, action of bases on (RUHEMANN and WATSON), T., 459, 1174; P., 48, 175.

Benzylidene-6-aminocoumarin (MORGAN and MICKLETHWAIT), T., 1234; P., 177.

Benzylideneaniline, additive products of, with ethyl acetoacetate and ethyl methylacetoacetate (FRANCIS and TAYLOR), T., 998; P., 113.

Benzylidenebenzoylacetone, action of ammonia, phenylhydrazine, and semicarbazide on (RUHEMANN and WATSON), T., 460; P., 48.

Benzylidenebisacetylacetone (RUHEMANN and WATSON), T., 1176; P., 175.

Benzylmethylacetic chloride, interaction of, with bases (KIPPING and SALWAY), T., 443; P., 40.

Bergamot oil, constituents of (BURGESS and PAGE), T., 1327; P., 181.

Beryl, composition of (POLLOK), T., 1630; P., 189.

Blackthorn. See *Prunus spinosa*.

Bornyl *iso*cyanide (FORSTER and ATTWELL), T., 1193.

Bornylamine bornyldithiocarbamate and thiocyanate (FORSTER and ATTWELL), T., 1194; P., 91.

Bornylcarbamic acid, ethyl ester (NEVILLE and PICKARD), T., 686; P., 114.

Bornylcarbamide and its nitrate, and *s*-naphthyl, -piperidyl and -*p*-tolyl derivatives (FORSTER and ATTWELL), T., 1189; P., 91.

Bornylcarbimide (NEVILLE and PICKARD), T., 687; P., 114; (FORSTER and ATTWELL), T., 1188; P. 91.

s-**Bornylphenylsemicarbazide** (FORSTER and ATTWELL), T., 1191; P., 91.

Boro-oxalic acid, potassium salt (WERNER), T., 1449; P., 187.

Butadienedicarboxylic acid. See $\Delta^{\beta\gamma}$-Dihydromuconic acid.

*iso***Butaldehyde**, action of hydrogen sulphide on solutions of (DRUGMAN and STOCKINGS), P., 117.

Butanedicarboxylic acids. See Dimethylsuccinic acids and α'-Methylglutaric acid.

Butane-$\alpha\gamma\delta$-tri- and -$\alpha\gamma\gamma\delta\delta$-penta-carboxylic acids (SILBERRAD), T., 611; P., 61.

Butea frondosa, colouring matter of the flowers of (PERKIN and HUMMEL), T., 1459; P., 169.

Butein and its acetyl derivative and trimethyl ether (PERKIN and HUMMEL), T., 1463; P., 169.

Butenoic acids. See Crotonic acids.

Butin and its acetyl and benzoyl derivatives and trimethyl ether (PERKIN and HUMMEL), T., 1461; P., 169.

Butter-fat, relation of Zeiss number, amount of soluble and insoluble acids, saponification equivalent, mean molecular weight, and specific gravity of, to the Reichert-Wollny number (THORPE), T., 248; P., 12.

interdependence of the physical and chemical criteria in the analysis of (THORPE), T., 248; P., 12.

Butylidenebisacetoacetic acids, *n*- and *iso*-, menthyl esters, rotation of (HANN and LAPWORTH), T., 53.

n-**Butyric acid** from the fusion of isopilocarpine with potassium hydroxide (JOWETT), P., 14.

$\alpha\beta$-*di*hydroxy-, resolution of, into its optically active constituents (MORRELL and HANSON), T., 197; P., 20.

β-imino-α-cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1739.

*iso***Butyric acid**, γ-*iso*nitroso-β-imino-α-cyano- (BARON, REMFRY, and THORPE), T., 1738.

Butyrylacetic acid, cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1757.

*iso***Butyrylpropionic acid** (*isobutyrylmethylacetic acid*), cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1756.

C.

Camphene, 1-nitro-, action of nitrogen peroxide on (FORSTER and MICKLETHWAIT), T., 325; P., 19.

i-α-**Campholactone**, synthesis of (PERKIN and THORPE), T., 128.

i-α-**Campholytic acid**, synthesis of (PERKIN and THORPE), T., 128.

β-**Campholytic acid** (*isolauronolic acid*), synthesis of, and its methyl ester (PERKIN and THORPE), T., 128.

Camphor derivatives, action of magnesium alkyl haloids on (FORSTER), P., 207.

n- and ψ-nitro-derivatives, equilibrium between (LOWRY and ROBERTSON), T., 1541.

*iso*nitroso-, and its isomeride, and their benzoyl derivatives and methyl ethers, and the action of potassium ferricyanide on (FORSTER), T., 892; P., 138.

Camphoroxime and its *m*-nitrobenzoyl derivative (FORSTER), T., 906.

Camphorquinone potassium cyanide (LAPWORTH), T., 1210; P., 177.

Camphorquinonedioximes, acyl derivatives of (FORSTER), T., 909; P., 138.

*iso*Caproic acid. See *iso*Hexoic acid.
Caproyl-. See Hexoyl-.
Carbimides, optically active (NEVILLE and PICKARD), T., 685; P., 114.
Carbon, estimation of, by oxidation with chromic acid (MORGAN), T., 1004; P., 167.
*mono*xide, combining volumes of, with oxygen (SCOTT), P., 85.
Carbon compounds, reactions involving the addition of hydrogen cyanide to (LAPWORTH), T., 1206, 1214; P., 177; (HANN and LAPWORTH), T., 1355; P., 183.
estimation of hydroxyl groups in (HIBBERT and SUDBOROUGH), T., 933.
Carbonyl compounds, action of halogens on, and the effect of acids on the velocity of the reaction (LAPWORTH), T., 30.
α-Carboxy-$\Delta^{\alpha\beta}$-glutaconic acid and its ethyl ester (SILBERRAD and EASTERFIELD), T., 862; P., 114, 141.
Carboxyglutaric acid, ethyl ester, sodium derivative, action of halogens and of ethyl bromocarboxyglutarate on (SILBERRAD and EASTERFIELD), T., 862; P., 114, 141.
Carboxyhexamethenyl-δ-ketohexahydrobenzoic acid and its ethyl ester (PERKIN), T., 419; P., 51.
Caro's acid and hydrogen peroxide, effect of colloidal platinum on mixtures of (PRICE and FRIEND), T., 1526; P., 187.
Carvone, action of hydrogen cyanide on (HANN and LAPWORTH), P., 54.
Catechins (PERKIN), P., 171.
Cellulose, action of dilute acids on (STERN), T., 336; P., 43.
Chaulmoogra seeds, constituents of (POWER and GORNALL), T., 838; P., 135.
Chaulmoogrene (POWER and GORNALL), T., 859; P., 137.
Chaulmoogric acid and its salts (POWER and GORNALL), T., 846; P., 136.
constitution of, and its esters and amide (POWER and GORNALL), T., 851; P., 136.
Chaulmoogryl alcohol and its chaulmoogryl derivative (POWER and GORNALL), T., 856; P., 137.
Chemical combination and dynamics. See Affinity.
composition in relation to density of organic substances (FAWSITT), P., 42.
Chemical Society, scientific progress of the (TILDEN), T., 493; P., 72.
Chloral hydrate, decomposition of, by sodium hydroxide and by certain salts (WERNER), T., 1376; P., 184.
Chlorine, action of light on (MELLOR), P., 53.
photochemically active (BURGESS and CHAPMAN), P., 52, 164.
rate of decay of the activity of gaseous (MELLOR), P., 196.
action of the silent discharge on, and its union with hydrogen (MELLOR), P., 140.
union of, with hydrogen (MELLOR), P., 196.
action of temperature on the period of induction (MELLOR), P., 53.
Chloroform, influence of moist alcohol and ethyl chloride on the boiling point of (WADE and FINNEMORE), T., 938; P., 163.
"Chlorophyll," spectrum of, and its relation to the spectrum of living green tissues (HARTLEY), T., 1607; P., 222.
Chromates, hexahydrated double (BRIGGS), T., 677; P., 90.
ammoniacal double (BRIGGS), T., 672; P., 89.
Chromic hydroxide, behaviour of, towards oxalic and other organic acids (WERNER), T., 1438; P., 186.
Chromorganic acids, researches on (WERNER), T., 1438; P., 186.
Cinnamene. See Styrene.
*allo*Cinnamic acid and α- and β-bromo-, influence of radium radiations on (SUDBOROUGH), P., 166.
Cinnamylideneacetylacetone and its reactions (RUHEMANN), T., 1458; P., 206.
Citric acid, interaction of, with chromic hydroxide (WERNER), T., 1447; P., 186.
Colophony, distillation of (EASTERFIELD and BAGLEY), T., 1243; P., 112.
Colouring matters, natural (PERKIN and PHIPPS), T., 56.
of the flowers of *Butea frondosa* (PERKIN and HUMMEL), T., 1459; P., 169.
of the stilbene group (GREEN), T., 1424; P., 184; (GREEN, SCHOLEFIELD, and MARSDEN), T., 1432; P., 185.
Coniferæ, resin acids of the (EASTERFIELD and BAGLEY), T., 1238; P., 112.
Cotarnine, the relative strengths of the alkaline hydroxides and of ammonia as measured by their action on (DOBBIE, LAUDER, and TINKLER), T., 121.
Coumarin, 6-amino-, and its acyl, alkyl, and diazo-derivatives (MORGAN and MICKLETHWAIT), T., 1230; P., 177.
Coumarin-6′:2-azo-4-bromo-α-naphthylamine (MORGAN, MICKLETHWAIT, and WINFIELD), T., 751.

Coumarin-6-diazo-1-amino-4-bromotetrahydronaphthalene (MORGAN, MICKLETHWAIT, and WINFIELD), T., 750.

6-Coumarylhydrazine (MORGAN and MICKLETHWAIT), T., 1236; P., 177.

6-Coumaryltrimethylammonium haloids (MORGAN and MICKLETHWAIT), T., 1237; P., 177.

m-**Cresol**, 6-nitro-2-amino-, and its oxidation products (COHEN and MARSHALL), T., 527; P., 63.

β-Crotonic acid, separation of, from α-crotonic acid (MORRELL and BELLARS), T., 345; P., 47.

Crotonic acids, **α-** and **β-**, dynamic isomerism of (MORRELL and HANSON), T., 1520; P., 191.

Crotonyldimethylacetic acid (PERKIN and SMITH), T., 156.

Cryohydrate point of nickel sulphate heptahydrate (STEELE and JOHNSON), T., 120.

Cryoscopy, studies on comparative (ROBERTSON), T., 1617; P., 222.

Crystals, attractive force of, for like molecules in saturated solutions (SONSTADT), P., 244.

Cuprosamine iodides (SILBERRAD), P., 241.

Curcumin, molecular weight of, and its benzoyl derivative (PERKIN and PHIPPS), T., 63.

Cyanohydrins regarded as complex acids (LAPWORTH), T., 1206, 1224; P., 177.

Cyantolin (*"kyantolin"*) (FRANCIS and DAVIS), T., 260; P., 21.

Cyaphenine. See Triphenylcyanidine.

D.

Density in relation to chemical composition of organic substances (FAWSITT), P., 42.

Dextrose (d-*glucose*), mutarotation of (LOWRY), T., 1551; P., 108.

Diacetylacetone, sodium salt, action of acetyl chloride on (COLLIE), T., 971; P., 158.

ββ-Diacetyl-α-phenylpropionic acid (RUHEMANN), T., 1456; P., 206.

Diastase, malt, action of, on potato starch paste (DAVIS and LING), T., 16.

1-Diazo-1-amino-tetrahydronaphthalene, 4:4′-*di*bromo- (MORGAN, MICKLETHWAIT, and WINFIELD), T., 748; P., 109.

Diazo-reaction in the diphenyl series (CAIN), P., 249.

Diazotetrahydronaphthalene-4-sulphonic acid (MORGAN, MICKLETHWAIT, and WINFIELD), T., 755.

Dibenzoxydiphenylmethane, decomposition of (MACKENZIE and JOSEPH), T., 792; P., 124.

2:4-Dibenzoylbenzene, 1-amino-, *N*-acetyl and -benzoyl derivatives (CHATTAWAY and LEWIS), T., 1663; P., 223.

Dibenzoylchloroimide (CHATTAWAY), P., 22.

αδ-Dibenzoyl-βγ-diphenylenebutadiene-αδ-dicarboxylic acid (*diphenylenedibenzoylmuconic acid*), ethyl ester (JAPP and WOOD), P., 221.

Dibenzoylmethane and *p*-nitro-, ethyl ethers of (RUHEMANN and WATSON), T., 457; P., 48.

s-**Dibenzoyl-oxamide** and **-succinamide** (TITHERLEY), T., 1681; P., 188.

Dibenzylideneacetone, action of ammonia on, and its phenylhydrazone (RUHEMANN and WATSON), T., 1179; P., 176.

Dibenzylidene-benzidine and **-*p*-phenylenediamine** (RUHEMANN and WATSON), T., 1176; P., 175.

Dibornylcarbamide (NEVILLE and PICKARD), T., 687; P., 114.

s-**Dibornylethylcarbamide** (FORSTER and ATTWELL), T., 1192; P., 91.

s-**Dibornylthiocarbamide** (FORSTER and ATTWELL), T., 1193; P., 91.

αγ-Difurfurylidenepropionic acid and its salts (TITHERLEY and SPENCER), T., 184; P., 13.

Difurfurylidenesuccinic acid and its sodium salt, and anhydride and its **ααββ**-tetrabromo-derivative (TITHERLEY and SPENCER), T., 183; P., 13.

αα-Diglutaric acid. See Hexane-**αγδζ**-tetracarboxylic acid.

Dihydroabietene (EASTERFIELD and BAGLEY), T., 1247; P., 113.

$\Delta^{1,3}$-Dihydrobenzene and the action of hydrogen bromide on, and its oxidation (CROSSLEY), T., 1403; P., 160.

magnetic rotation and refraction of (PERKIN), T., 1417.

Dihydrochaulmoogric acid and its bromo-derivatives and their esters, and dihydroxy- (POWER and GORNALL), T., 855; P., 136.

Dihydro-α-methylindole, preparation and resolution of, and its salts and acetyl and benzoyl derivatives (POPE and CLARK), T., 1330; P., 182.

$\Delta^{\beta\gamma}$-Dihydromuconic acid and its ethyl ester (SILBERRAD), T., 612; P., 61.

Dihydroumbellulone, bromo-derivatives (LEES), T., 643; P., 89.

Diketohexahydrobenzene, *tri*hydroxy- (POWER and TUTIN), T., 628; P., 87.

β-Diketones (RUHEMANN and WATSON), T., 456; P., 48.

Di-*l*-menthylcarbamide (NEVILLE and PICKARD), T., 690; P., 114.

Dimercurammonium series. See under Mercury.

2:4-Dimethoxybenzoic acid (*dimethylresorcylic acid*) and its methyl and ethyl esters (PERKIN and SCHIESS), T., 159.

2:4-Dimethoxybenzoylacetophenone and its copper compound (PERKIN and SCHIESS), T., 160.

2:4-Dimethoxycinnamic acid and its ethyl ester (PERKIN and SCHIESS), T., 162.

3:4-Dimethoxycinnamic acid and its ethyl ester (PERKIN and SCHIESS), T., 163.

3:4-Dimethoxyphenyl-αβ-*di*bromopropionic acid, ethyl ester (PERKIN and SCHIESS), T., 164.

3:4-Dimethoxyphenylpropiolic acid (PERKIN and SCHIESS), T., 164.

3:7-Dimethylacridine, 8-amino-, and its acetyl derivative (FOX and HEWITT), T., 531; P., 9.

***N*-Dimethyl-6-aminocoumarin** (MORGAN and MICKLETHWAIT), T., 1237; P., 177.

αβ-Dimethylanhydroacetonebenzil, reduction products of (JAPP and MAITLAND), T., 1473; P., 204.

Dimethylaniline, *p*-nitroso-, absorption spectrum of (HARTLEY), T., 1010; P., 160.

αα-Dimethylbutane-αβδ-tricarboxylic acid and its esters, and β-cyano-derivative of the esters, and inner anhydride (PERKIN and THORPE), T., 128.

1:1-Dimethyl-$\Delta^{2:4}$-dihydrobenzene, 3:5-*di*chloro-, action of bromine on (CROSSLEY), T., 264; P., 21.

αα′-Dimethylglutaric acid, β-imino-α-cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1751.

Dimethylglutazine and its **carboxylic acid,** ethyl ester, and their dibenzoyl derivatives (BARON, REMFRY, and THORPE), T., 1753; P., 243.

1:1-Dimethyl*cyclo*hexane, synthesis of, and its 3-bromo- and 3-hydroxy-derivatives (CROSSLEY and RENOUF), P., 242.

2:2-Dimethylpentamethylene-1-carboxylic acid, 3-bromo- and *trans*-3-hydroxy- (PERKIN and THORPE), T., 130.

2:2-Dimethyl*cyclo*pentene-1-carboxylic acid (PERKIN and THORPE), T., 131.

Dimethylpyrone, diacetyl derivative, and its isomeride (COLLIE), T., 975; P., 158.

***as*-Dimethylsuccinic acid,** formation of (LAPWORTH), T., 1222; P., 177.

Dimethylsuccinic acids, *s*- and *as*-, acid esters (BONE, SUDBOROUGH, and SPRANKLING), T., 545; P., 64.

1:1-Dimethyl-Δ^5-tetrahydrobenzene, 3:5-*di*chloro-2:4:5-*tri*bromo-, formation of, and its reactions (CROSSLEY), T., 266; P., 21.

Di-α- and -β-naphthacridine haloids (SENIER and AUSTIN), T., 1204; P., 176.

Di-*o*-, -*m*-, and -*p*-nitrobenzoyltartaric acids, methyl and ethyl esters, and their rotation (FRANKLAND and HARGER), T., 1571; P., 203.

Dipentene, synthesis of, and its dihydrochloride, tetrabromide, and nitrosochloride (PERKIN), T., 654; P., 86.

Diphenyl, halogen derivatives, preparation of (CAIN), T., 7.

3-*mono*-, 3:3′-*di*-, and 3:3′:5(?)-*tri*chloro-4:4′-*di*hydroxy- (CAIN), T., 10.

Diphenyl*tetra*bromo*cyclo*pentanone (JAPP and MAITLAND), T., 1479; P., 204.

4:5-Diphenyl-2-*tert.*-butylfuran and 3-chloro- (JAPP and MAITLAND), T., 1497.

βγ-Diphenyl-α-*tert.*-butyl-γ-hydroxybutyric acid and its lactone (JAPP and MAITLAND), T., 1501.

αα-Diphenyl-γ-*tert.*-butyl-γ-hydroxybutyric acid and its lactone (JAPP and MAITLAND), T., 1500.

4:5-Diphenyl-2-*tert.*-butyl-2:5-oxidopyrrole (JAPP and MAITLAND), T., 1501.

Diphenyl-4:4′-dicarboxylic acid and its nitrile, 3:3′-*di*chloro- (CAIN), T., 9.

4:5-Diphenyl-1:3-dimethyl*cyclo*pentanone-2 and its oxime and di- and tetrabromo-derivatives (JAPP and MAITLAND), T., 1479; P., 204.

4:5-Diphenyl-1:3-dimethyl*cyclo*penten-4-one-2 (JAPP and MAITLAND), T., 1477; P., 204.

4:5-Diphenyl-1:3-dimethyl*cyclo*penten-5-one-2 and its oxime and dibromide (JAPP and MAITLAND), T., 1483; P., 204.

Diphenylmethyltetrahydro-γ-pyrones, stereoisomeric (JAPP and MAITLAND), T., 1488; P., 204.

1:5-Diphenyl-3-pyrazolidone, 4-hydroxy-, and its acetyl and 2-methyl derivatives (JAPP and MAITLAND), T., 1491 ; P., 205.

1:5-Diphenyl-3-pyrazolone and its 2-acetyl derivative (JAPP and MAITLAND), T., 1491 ; P., 205.

αα-Diphenyl-β-trimethylacetylpropionic acid (JAPP and MAITLAND), T., 1499.

Dipiperidido-oxalic dimethyl ether (LANDER), T., 987 ; P., 131.

Dipiperidinobenzylacetophenone (WATSON), T., 1322 ; P., 181.

Dissociation of the acid esters of methyl substituted succinic acids (BONE, SUDBOROUGH, and SPRANKLING), T., 534 ; P., 64.

Dodecamethylacridine haloids (SENIER and AUSTIN), T., 1202 ; P., 176.

Dynamic isomerism. See Affinity.

E.

Electrolytic oxidation of gallic acid and pyrogallol (A. G. and F. M. PERKIN), T., 243 ; P., 18.

Element, supposed new, in beryl (POLLOK), T., 1630 ; P., 189.

Elements and compounds (OSTWALD), T., 506 ; P., 78.

Enzyme, hydrolytic, from chaulmoogra seeds (POWER and GORNALL), T., 840 ; P., 135.

Epinephrine (*adrenaline*), constitution of (JOWETT), T., 192 ; P., 18.

Esterification constants of the acid esters of methyl substituted succinic acids (BONE, SUDBOROUGH, and SPRANKLING), T., 534 ; P., 64.

Ethane, action of ozone on (BONE and DRUGMAN), P., 127.

slow combustion of (BONE and STOCKINGS), T., 693 ; P., 106 ; (BONE and DRUGMAN), P., 128.

Ethanedicarboxylic acid. See Succinic acid.

Ethanetetracarboxylic acid, disodium derivative, ethyl ester, action of ethyl β-iodopropionate on (SILBERRAD), T., 611 ; P., 61.

Ethenyl*di*aminonaphthalene, *N*-ethyl derivative, salts of (MELDOLA and LANE), T., 1599 ; P., 214.

Ethenyl*tri*aminonaphthalenes, isomeric, replacement of the amino-group in, by bromine (MELDOLA and LANE), T., 1597 ; P., 214.

Ethers, compounds of, with nitric acid (COHEN and GATECLIFF), P., 194.

Ethoxybenzidine, diazonium salt of, action of heat on (CAIN), P., 249.

3-Ethoxydiphenyl-4-diazonium hydroxide and **salts,** 4′-hydroxy- (CAIN), P., 249.

1-Ethoxy-Δ²-tetrahydrobenzene (CROSSLEY), T., 1416 ; P., 160.

Ethyl alcohol, estimation of methyl alcohol in presence of (THORPE and HOLMES), T., 1.

Ethyl ether, compound of, with aluminium chloride (WALKER and SPENCER), T., 1106 ; P., 135.

additive compounds of, with halogen hydrides (ARCHIBALD and MCINTOSH), T., 925 ; P., 139.

compound of, with nitric acid (COHEN and GATECLIFF), P., 195.

compound of, with magnesium oxybromide (HOLROYD), P., 38.

Ethyl haloids, chemical dynamics of the reactions between sodium sulphate and (SLATOR), T., 1290 ; P., 180.

***N*-Ethyl-6-aminocoumarin** and its benzenesulphonyl and nitroso-derivatives (MORGAN and MICKLETHWAIT), T., 1238 ; P., 177.

Ethylene, combustion of (BONE and WHEELER), T., 1637 ; P., 202.

bromoiodide, decomposition of, in presence of potassium iodide (SLATOR), T., 1706 ; P., 222.

haloids, chemical dynamics of the reactions between sodium thiosulphate and (SLATOR), T., 1297 ; P., 180.

iodide, decomposition of, under the influence of the iodide ion (SLATOR), T., 1697 ; P., 221.

Ethylenetetracarboxylic acid and its ethyl ester (SILBERRAD), T., 613 ; P., 61.

α′-Ethylglutaric acid, β-imino-α-cyano-, esters (BARON, REMFRY, and THORPE), T., 1757.

Ethylglutazine and its **carboxylic acid,** ethyl ester, and oxime, and their dibenzoyl derivatives (BARON, REMFRY, and THORPE), T., 1758 ; P., 243.

Ethylidene-acetoacetic and **-bisacetoacetic acids,** menthyl esters, rotation of (HANN and LAPWORTH), T., 50.

Ethyl-α-naphthylamine, 4-bromo-2-nitro- (MELDOLA and LANE), T., 1605.

F.

Faraday lecture, T., 506 ; P., 45, 67, 77.

Fats, thermostat for use in connection with the refractometric examination of (THORPE), T., 257 ; P., 12.

Fermentation of the indigo-plant (BERGTHEIL), T., 870; P., 139.
Flavanone, 3:4′:5′-*tri*hydroxy-. See Butin.
Formaldehyde, condensation of, with acetone (WERNER), P., 196.
action of hydrogen sulphide on solutions of (DRUGMAN and STOCKINGS), P., 115.
Freezing point curves of dynamic isomerides (FINDLAY), T., 403; P., 49.
Fukugetin and its bromo-derivatives, from the Japanese dye-stuff "fukugi" (PERKIN and PHIPPS), T., 58.
Furfuraldehyde, condensation of, with sodium succinate (TITHERLEY and SPENCER), T., 183; P., 13.
α-Furfurylidenefuryl*iso*crotonic acid. See **αγ**-Difurfurylidenepropionic acid.

G.

Galactose, mutarotation of (LOWRY), T., 1559; P., 108.
equilibrium in solutions of (LOWRY), T., 1551.
alkylation of (IRVINE and CAMERON), T., 1071; P., 174.
Gallic acid, electrolytic oxidation of (A. G. and F. M. PERKIN), T., 246; P., 19.
Glucinum, metallic (POLLOK), T., 605.
chloride, heat of formation of (POLLOK), T., 603; P., 61.
oxide (*glucina*), extraction of, from beryl (POLLOK), T., 603; P., 61.
Glucose. See Dextrose.
Glucoses, **α**- and **β**-, and their pentaacetates and hydrolysis (ARMSTRONG and ARUP), T., 1043; P., 169.
α- and **β**-, equilibrium between (LOWRY), T., 1551; P., 108.
Glutamic acid, **β**-imino-**α**-cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1744; P., 243.
Glutaric acid, **β**-imino-**α**-cyano-, ethyl ester, and the action of hydrolytic agents on (BARON, REMFRY, and THORPE), T., 1736; P., 243.
Glutazine and its cyanide, and **carboxylic acid**, ethyl ester, and their oximes and dibenzoyl derivatives (BARON, REMFRY, and THORPE), T., 1740; P., 243.
Glycerides, higher, combination of, with lead oxide (HANNAY), P., 58.
Glycollic acid, interaction of, with chromic hydroxide (WERNER), T., 1447; P., 186.
calcium salt, water of crystallisation of (DEBUS), T., 1403.
Glyoxylic acid, formula of, and some of its basic salts (DEBUS), T., 1382; P., 184.
Gold, influence of sunlight on the solution of, in aqueous potassium cyanide (CALDECOTT), P., 199.
Guaiacum, influence of certain salts and organic substances on the oxidation of (WILLCOCK), P., 197.
Gymnema sylvestre, *l*-quercitol from (POWER and TUTIN), T., 624; P., 87.
Gynocardin (POWER and GORNALL), P., 137.

H.

Halogens, action of, on compounds containing the carbonyl group (LAPWORTH), T., 30.
Heptadecyl aldehyde. See Margaric aldehyde.
cyanide, **α**-hydroxy-, and its hydrolysis (LE SUEUR), T., 834; P., 133.
Heptinoic acid. See Crotonyldimethylacetic acid.
Heptoic acids. See **α**-Methylhexoic acid, and **αα**γ-Trimethylbutyric acid.
Hesperitin, molecular weight of (PERKIN and PHIPPS), T., 62.
Hexahydrobenzene. See *cyclo*Hexane.
Hexahydrobenzoic acid, *trans*-**δ**-bromo- and -hydroxy-, and **γ**-*mono*- and **γδ**-*di*bromo- (PERKIN), T., 419; P., 51.
Hexahydroterephthalic acid, **α**-hydroxy-, *cis*- and *trans*-, and the nitrile of the trans-acid (PERKIN), T., 420; P., 51.
Hexahydro-*p*-toluic acid, **δ**-*mono*- and **γδ**-*di*-bromo-, and **δ**-hydroxy- and its lactone (PERKIN), T., 657; P., 86.
Hexamethylacridine haloids (SENIER and AUSTIN), T., 1202; P., 176.
*cyclo***Hexane**, 1:2-*di*bromo-, and the action of alcoholic potash and quinoline on (CROSSLEY), T., 1414; P., 160.
Hexanedicarboxylic acids. See Tetramethylsuccinic acid, and Trimethylglutaric acid.
Hexane-αγδζ-tetra- and **αγγδδζ-hexacarboxylic acids** (SILBERRAD), T., 614; P., 61.
Hexanetricarboxylic acid. See **αα**-Dimethylbutane-**αβδ**-tricarboxylic acid.
*cyclo***Hexanol-4-carboxylic acid.** See Hexahydrobenzoic acid, **δ**-hydroxy-.
*cyclo***Hexanone-4-carboxylic acid.** See **δ**-Ketohexahydrobenzoic acid.
Δ³-*cyclo*Hexenecarboxylic acid. See **Δ³**-Tetrahydrobenzoic acid.
Hexenoic acid. See **γ**-Methyl-**Δγ**-pentenoic acid.

Hexoic acid. See α-Methylvaleric acid.
iso-**Hexoic acid** (iso*caproic acid*), γ-bromo-, ethyl ester (JONES and TATTERSALL), T., 1693; P., 218.
iso-**Hexolactone**, new synthesis of (JONES and TATTERSALL), T., 1691; P., 218.
Hexoyl-phenyl- and **-phenylbenzyl-thiocarbamides** (DIXON), T., 809; P., 128.
Hexoylthiocarbimide (DIXON), T., 807; P., 128.
ab-**Hexoyl-***o*- and **-*p*-tolyl-carbamides**, and **-thiocarbamides** (DIXON), T., 810; P., 128.
Hexylenedicarboxylic acid. See *aaγ*-Trimethylglutaconic acid.
Hydrastinine, constitution of (DOBBIE and TINKLER), T., 1005; P., 162.
Hydrazine hydrate, vapour density of (SCOTT), T., 913; P., 84.
Hydrocarbon, $C_{14}H_{12}$, from phenylpropiolyl chloride and benzene (WATSON), T., 1325; P., 181.
$C_{16}H_{12}$, from the action of nickel carbonyl on naphthalene (DEWAR and JONES), T., 213; P., 6.
Hydrocarbons, aromatic, action of, on nickel carbonyl in presence of aluminium chloride (DEWAR and JONES), T., 212; P., 6.
Hydrocellulose (CROSS and BEVAN), T., 691; P., 90.
Hydrocellulose, so-called (STERN), T., 336; P., 43.
Hydrocyanic acid (*hydrogen cyanide*) in chaulmoogra seeds (POWER and GORNALL), T., 840; P., 135.
reactions involving the addition of, to carbon compounds (LAPWORTH), T., 1206, 1214; P., 177; (HANN and LAPWORTH), T., 1355; P., 183.
addition of, to unsaturated compounds (LAPWORTH), P., 245.
additive compounds of unsaturated cyclic ketones with (HANN and LAPWORTH), P., 54.
Hydrogen, union of, with chlorine (MELLOR), P., 140, 196.
action of temperature on the period of induction (MELLOR), P., 53.
*per*oxide and Caro's persulphuric acid, effect of colloidal platinum on mixtures of (PRICE and FRIEND), T., 1526; P., 187.
estimation of, in presence of potassium bisulphate by means of potassium permanganate (FRIEND), T., 597, 1533; P., 65, 198.
Hydroxy-acids, esters, application of the Grignard reaction to (FRANKLAND and TWISS), T., 1666; P., 245.
α-**Hydroxycarboxylic acids**, action of heat on (LE SUEUR), T., 827; P., 14, 132.
Hydroxyl groups, estimation of, in carbon compounds (HIBBERT and SUDBOROUGH), T., 933.
Hydroxylaminetrisulphonates (*metasulphazilates*) (HAGA), T., 78.

I.

Imino-compounds, formation and reactions of (BARON, REMFRY, and THORPE), T., 1726; P., 243.
Imino-ethers and the action of dry ammonia on (LANDER), T., 984; P., 132.
Indigo, chemistry of (BLOXAM), P., 159.
Java, constituent of (PERKIN), P., 172.
Indigo-plant, fermentation of the (BERGTHEIL), T., 870; P., 139.
Indirubin (*indigo-red*) (BLOXAM), P., 160.
Iodine, nature of a solution of, in aqueous potassium iodide (BURGESS and CHAPMAN), T., 1305; P., 62.
Ionisation and chemical combination (WALKER), T., 1082; P., 133.
and chemical combination in the liquefied halogen hydrides and hydrogen sulphide (WALKER, MCINTOSH, and ARCHIBALD), T., 1098; P., 134.
Isomerides, dynamic, solubility as a means of determining the proportions of, in equilibrium (LOWRY and ROBERTSON), T., 1541; (LOWRY), T., 1551; P., 108.

K.

Kaempferol (*kampherol*) and its acetyl compound, from *Prunus spinosa* (PERKIN and PHIPPS), T., 57.
from Java indigo (PERKIN), P., 172.
2-Keto-1-anilino-3:3-diphenyl-5-*tert.*-butyl-2:3-dihydropyrrole (JAPP and MAITLAND), T., 1500.
6-Keto-1:5-dihydropyridazine-5-carboxylic acid, 4-imino-, ethyl ester, and its phenylhydrazone (BARON, REMFRY, and THORPE), T., 1738.
3-Keto-2:2-dimethylpentamethylene-1-carboxylic acid, and its ethyl ester, oxime, and semicarbazone (PERKIN and THORPE), T., 138.
2-Keto-3:3-diphenyl-5-*tert.*-butyl-2:3-dihydropyrrole and its 1-methyl derivative (JAPP and MAITLAND), T., 1502.
δ-**Ketohexahydrobenzoic acid** and its esters, oxime, phenylhydrazone, and semicarbazone, and its reactions (PERKIN), T., 416; P., 51.

Ketone, $C_{10}H_{16}O$, and its semicarbazone, from umbellulone (LEES), T., 643; P., 89.

Ketones, acetylenic (WATSON), T., 1319; P., 181.
cyclic unsaturated, additive hydrogen cyanide compounds with (HANN and LAPWORTH), P., 54.
olefinic, combination of, with mercaptans (RUHEMANN), P., 251.
condensation of, with benzaldehyde (JAPP and MAITLAND), T., 1473; P., 204.

β-Ketonic acids, optically active esters of (HANN and LAPWORTH), T., 46.

2-Keto-3-phenyl-5-methyl-2:3-dihydropyrrole-4-carboxylic acid, ethyl ester (RUHEMANN), T., 1453; P., 206.

p-**Keto*iso*propenylhexamethylene** (PERKIN), T., 670; P., 86.

p-**Keto*iso*propylhexamethylene**, ω-hydroxy- (PERKIN), T., 670; P., 86.

"**Kyantolin.**" See Cyantolin.

L.

Lactic acid, interaction of, with chromic hydroxide (WERNER), T., 1447; P., 186.

Lactone, $C_9H_{12}O_2$, from umbellulone (LEES), T., 645; P., 89.

Laurel, Californian. See *Umbellularia californica*.

***iso*Lauronolic acid.** See β-Campholytic acid.

Lemon oil, constituents of (BURGESS and PAGE), T., 1328; P., 181.

Light. See Photochemistry.

Limene and its trihydrochloride from distilled oil of limes (BURGESS and PAGE), T., 415; P., 62.
and its trihydrochloride from bergamot oil (BURGESS and PAGE), T., 1328; P., 181.

Limes, distilled oil of, composition of (BURGESS and PAGE), T., 414, 1329; P., 62, 181.

Limonene nitrosocyanides (TILDEN and LEACH), T., 931; P., 163.

Linolenic acid (HANNAY), P., 59.

Liquid mixtures, viscosity of (DUNSTAN), T., 817; P., 117, 248.
of restricted mutual solubility, vapour pressures of (MARSHALL), P., 142.

M.

Maclurin, cyano-, and its penta-acetyl, pentabenzoyl, and azobenzene derivatives (PERKIN), P., 170.

Magnesium bromide, anhydrous, additive compounds of, with organic oxygen and nitrogen compounds (SUDBOROUGH, HIBBERT, and BEARD), P., 165.
alkali chromates, hexahydrated (BRIGGS), T., 677; P., 90.
oxybromide, compound of, with ether (HOLROYD), P., 38.

Magnetic rotation. See under Photochemistry.

Malic acid, interaction of, with chromic hydroxide (WERNER), T., 1446; P., 186.

Malonamide, *iso*nitroso-. See Mesoxamide, oxime of.

Malonanilide, amino- and nitro- (WHITELEY), P., 93.

Malondimethylanilide, amino-, *di*hydroxy-, and nitro- (WHITELEY), P., 93.
*iso*nitroso-, isomeride of, and its alkali salts (WHITELEY), P., 92.

Malonic acid, interaction of, with chromic hydroxide (WERNER), T., 1444; P., 186.
ethyl ester, compound of, with aluminium chloride (WALKER and SPENCER), T., 1108; P., 135.
interaction of, with its sodium derivative (MOORE), T., 165.

Malonmonophenylamide and *iso*nitroso- (WHITELEY), P., 93.

Malontetraphenylamide and its potassium salt, acyl, amino-, and isonitroso-derivatives, and ethyl ether (WHITELEY), P., 93.

Mandelic acid, methyl ester, compound of, with aluminium chloride (WALKER and SPENCER), T., 1107; P., 135.

r-**Mandelic acid**, esterification of, by borneol and menthol (MCKENZIE), T., 378; P., 41.

Mandelic acids, *d*- and *l*-, menthyl esters (MCKENZIE), T., 1254; P., 178.
optically active (DAKIN), T., 1513; P., 200.

Margaric acid and its salts, esters, amide, and α-bromo- and α-hydroxy- (LE SUEUR), T., 836; P., 14, 133.

Margaric aldehyde and its semicarbazone, oxime, and polymeride, and the action of hydrogen cyanide on (LE SUEUR), T., 833; P., 14, 133.

$\Delta^{8(9)}$-Menthenol(1) (PERKIN), T., 670; P., 86.

l-**Menthylamines**, the four optically isomeric, and their salts, and benzoyl and formyl derivatives (TUTIN and KIPPING), T., 65.

l-**Menthylcarbamic acid**, esters (NEVILLE and PICKARD), T., 689; P., 114.
l-**Menthylcarbimide** (NEVILLE and PICKARD), T., 688; P., 114.
Mercaptans, combination of, with olefinic ketones (RUHEMANN), P., 251.
Mercuric nitrite and its decomposition by heat (RÂY), T., 523; P., 57.
Mercurous nitrite, theory of the production of, and of its conversion into mercury nitrates (RÂY), P., 217.
Dimercurammonium series, sulphate and phosphate of (RÂY), P., 249.
Mesitonic acid, preparation of, and its oxime, phenylhydrazone, and semicarbazone (LAPWORTH), T., 1219; P., 177.
Mesitononitrilecyanohydrin and its hydrolysis (LAPWORTH), T., 1223.
Mesityl oxide, action of potassium cyanide on (LAPWORTH), T., 1214; P., 177.
Mesitylic acid, formation of (LAPWORTH), T., 1224; P., 177.
Mesoxamide, oxime of, tetra-substituted-derivatives of (WHITELEY), P., 92.
Metasulphazilates. See Hydroxylaminetrisulphonates.
Methoxybenzoylphenylacetylene and the action of bases on (WATSON), T., 1324; P., 181.
3-Methoxyphenyl-1-phenyl*iso*oxazole (WATSON), T., 1326; P., 181.
Methyl alcohol, estimation of, in presence of ethyl alcohol (THORPE and HOLMES), T., 1.
Methyl ether, compound of, with nitric acid (COHEN and GATECLIFF), P., 195.
Methyl fluoride, note on (COLLIE), T., 1317; P., 180.
haloids, chemical dynamics of the reactions between sodium sulphate and (SLATOR), T., 1290; P., 180.
Methylacetoacetic acid, ethyl ester, additive products of, with benzylideneaniline (FRANCIS and TAYLOR), T., 998; P., 113.
5-Methylacridine haloids (SENIER and AUSTIN), T., 1201; P., 176.
γ-Methylallylacetic acid. See γ-Methyl-Δγ-pentenoic acid.
Methylaminocamphene and its platinichloride (FORSTER and MICKLETHWAIT), T., 334; P., 19.
***N*-Methyl-6-aminocoumarin** and its benzenesulphonyl and nitroso-derivatives (MORGAN and MICKLETHWAIT), T., 1238; P., 177.
Methylated spirits, composition of (THORPE and HOLMES), T., 4.
Methylbenzophenone, 3- and 5-amino-, and their acyl derivatives (CHATTAWAY and LEWIS), T., 590; P., 60.
α-Methyl*iso*butylacetic acid. See α-Methylhexoic acid.
Methylcarbamide, decomposition of (FAWSITT), T., 1581; P., 203.
Methylene-*ar*-tetrahydro-β-naphthylamine (SMITH), T., 733; P., 111.
α-Methylgalactoside (IRVINE and CAMERON), T., 1071; P., 174.
Methyl-glucosides and **-galactosides**, α- and β-, tetra-acetates, hydrolysis of (ARMSTRONG and ARUP), T., 1048; P., 169.
α′-Methylglutaric acid, β-imino-α-cyano-, esters and salts (BARON, REMFRY, and THORPE), T., 1747.
Methylglutazine and its **carboxylic acid**, ethyl ester, and its dibenzoyl derivative, and oxime (BARON, REMFRY, and THORPE), T., 1749; P., 243.
β-Methylglyceric acid. See Butyric acid, αβ-*di*hydroxy-.
α-Methylhexoic acid (*α-methylisobutylacetic acid*), β-imino-α-cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1755.
Methylhydrindamine *d*-chlorocamphorsulphonates, *d*- and *l*-, isomeric (TATTERSALL), T., 169.
dl-**Methylhydrindamine**, resolution of (TATTERSALL), T., 169.
γ-Methyl-Δγ-pentenoic acid (*γ-methylallylacetic acid*) and its ethyl ester (JONES and TATTERSALL), T., 1693; P., 218.
Methylsuccinic acid, acid esters (BONE, SUDBOROUGH, and SPRANKLING), T., 542; P., 64.
***N*-Methyltetrahydro-β-naphthylamine** and its nitrate, hydrochloride, and nitrosoamine (SMITH), T., 735; P., 111.
α-Methylvaleric acid, β-imino-α-cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1752.
Molybdates, ammoniacal double (BRIGGS), T., 672; P., 89.
Morin tetraethyl ether (PERKIN and PHIPPS), T., 61.
Multirotation. See under Photochemistry.
Myricetin ethyl ether, *tetra*bromo- (PERKIN and PHIPPS), T., 62.

N.

Naphthacenequinone, halogen derivatives of (PICKLES and WEIZMANN), P., 220.
Naphthacridine haloids, α- and β- (SENIER and AUSTIN), T., 1204; P., 176.

1-Naphthalene-2-azo-α-naphthylamine, 4:4′-*di*bromo- (MORGAN, MICKLETHWAIT, and WINFIELD), T., 750; P., 110.
Naphthalenesulphonchloroalkylamides, α- and β- (CHATTAWAY), P., 208.
α-Naphthol, bromination of (HEWITT, KENNER, and SILK), T., 1228; P., 126.
α-Naphthoyl-*o*-benzoic acid (PICKLES and WEIZMANN), P., 201.
α-Naphthyl ethyl ether, 4-bromo-2-nitro- (MELDOLA and LANE), T., 1605.
α-Naphthylamine-2-azobenzene-4′-sulphonic acid, 4-bromo-, and its reduction (MORGAN, MICKLETHWAIT, and WINFIELD), T., 752.
ββ-Naphthylaminobenzylacetylacetone (RUHEMANN and WATSON), T., 1175; P., 175.
Neobornylcarbamic acid, ethyl ester (NEVILLE and PICKARD), T., 688; P., 114.
Neobornylcarbimide (FORSTER and ATTWELL), T., 1192.
Nickel carbonyl, reactions of, with the halogens and other inorganic substances (DEWAR and JONES), T., 203; P., 5.
reaction of, with aromatic hydrocarbons in presence of aluminium chloride (DEWAR and JONES), T., 212; P., 6.
alkali chromates, hexahydrated (BRIGGS), T., 677; P., 90.
sulphate, the solubility curves and transition points of the hydrates of (STEELE and JOHNSON), T., 113.
sulphide, Ni_2S_3, formation of (DEWAR and JONES), T., 211; P., 5.
Nitrogen atom, tervalent, the arrangement in space of the groups combined with the (KIPPING and SALWAY), T., 438; P., 39.
bromides and chlorides, substituted (CHATTAWAY and WADMORE), T., 179; P., 16.
chlorides containing two halogen atoms attached to the nitrogen (CHATTAWAY), P., 167.
iodide, constitution of (SILBERRAD), P., 192.
metallic derivatives of, and their bearing on its constitution (SILBERRAD), P., 241.
*per*oxide or *tet*roxide (*nitric peroxide*), constitution of (DIVERS), T., 110.
sulphide, action of, on aromatic aldehydes (FRANCIS and DAVIS), T., 259, 1535; P., 21, 204.
Nitrogen organic compounds, optically active (JONES), T., 223; P., 6.
compounds of, with anhydrous magnesium bromide (SUDBOROUGH, HIBBERT, and BEARD), P., 165.

O.

Octylene from Citrus oils (BURGESS and PAGE), T., 1328; P., 181.
Oils, thermostat for use in connection with the refractometric examination of (THORPE), T., 257; P., 12.
Δ$^{\alpha}$-Oleic acid and its ethyl ester (LE SUEUR), T., 1708; P., 207.
Optical activity. See Photochemistry.
Orcinol, diacetyl derivative (COLLIE), T., 976; P., 159.
Organic compounds, method for the rapid ultimate analysis of certain (COLLIE), T., 1111; P., 174.
Oxalic acid, interaction of, with chromic hydroxide (WERNER), T., 1439; P., 186.
ethyl ester, compound of, with aluminium chloride (WALKER and SPENCER), T., 1107; P., 135.
salts, decomposition of, by heat (SCOTT), P., 156.
*di*chloro-, methyl ester, condensation of, with aniline, phenylhydrazine, piperidine, and *p*-toluidine (LANDER), T., 984; P., 131.
Oxygen, basic properties of (ARCHIBALD and MCINTOSH), T., 919; P., 139; (COHEN and GATECLIFF), P., 194.
combining volumes of, with carbon monoxide (SCOTT), P., 85.
Oxygen organic compounds, additive compounds of, with anhydrous magnesium bromide (SUDBOROUGH, HIBBERT, and BEARD), P., 165.
Ozone, action of, on ethane (BONE and DRUGMAN), P., 127.

P.

Palmitic acid (LE SUEUR), T., 1712; P., 207.
from chaulmoogra seeds (POWER and GORNALL), T., 846; P., 136.
Pentanedicarboxylic acids. See **αα′**-Dimethylglutaric acid and Trimethylsuccinic acid.
Pentane-αγε-tricarboxylic acid and γ-cyano-, ethyl esters (PERKIN), T., 417; P., 51.

Periodides, formation of, in organic solvents (DAWSON), T., 467; P., 54.
formation of, in nitrobenzene solution (DAWSON and GOODSON), T., 796; P., 126.
Peroxylaminesulphonates (*sulphazilates*) (HAGA), T., 78.
Peroxylaminesulphonic acid (DIVERS), T., 108.
Phenanthraquinone, condensation of, with ketonic compounds (JAPP and WOOD), P., 221.
Phenanthrene, action of chromyl chloride on (HENDERSON and GRAY), T., 1041; P., 173.
Phenol, bromination of (HEWITT, KENNER, and SILK), T., 1225; P., 125.
Phenols, electrolytic oxidation of (A. G. and F. M. PERKIN), T., 243; P., 18.
Phenolphthalein, constitution of (GREEN and PERKIN), T., 398; P., 50.
Phenylamino-. See Anilino-.
Phenylaminoimino-oxalic methylethers (LANDER), T., 987; P., 132.
Phenylazocyanoacetic acid, *p*-bromo-, menthyl ester, rotation of (BOWACK and LAPWORTH), T., 45.
β-Phenylazo*iso*valeric acid and its reduction (PRENTICE), T., 1667; P., 220.
Phenylbenzylmethylethylammonium salts, *d*- and *l*- (JONES), T., 223; P., 6.
β-Phenyl-α-*tert.*-butyl-β-benzoylpropionic acid and the action of phenylhydrazine on (JAPP and MAITLAND), T., 1500.
Phenyldi-β-hydroxynaphthylmethane, anhydride of, and its nitration, and the action of sulphuric acid on (MACKENZIE and JOSEPH), T., 793; P., 124.
Phenyldimethylallylammonium compounds, resolution of (HARVEY), T., 412; P., 64.
Phenylglycidic acid, sodium salt, interaction of, with phenylhydrazine (JAPP and MAITLAND), T., 1490; P., 205.
***s*-β-Phenylhydrazinobutyric acid** (PRENTICE), T., 1667; P., 220.
Phenylmethyloxamic acid, methyl ester (LANDER), T., 989; P., 132.
1-Phenyl-3-mono- and -3:3-di-methyl-5-pyrazolidones (PRENTICE), T., 1667; P., 220.
Phenyl-succinic and **-succinanilic acids**, and **-succinanil** and **-succino-*p*-tolil** (HANN and LAPWORTH), T., 1365; P., 183.
Phloroglucinol, formation of, by the interaction of ethyl malonate with its sodium derivative (MOORE), T., 165.
Phloroglucinoldicarboxylic acid, ethyl ester, and its bromo- and triacetyl derivatives (MOORE), T., 166.
Phosphorus and **Phosphoryl trithiocyanates** (DIXON), T., 350; P., 41.
PHOTOCHEMISTRY:—
Light, action of, on chlorine (MELLOR), P., 53.
Radiations from radium, action of, on alkali chlorides, and analogous heat effects (ACKROYD), T., 812; P., 108.
influence of, on labile stereoisomerides (SUDBOROUGH), P., 166.
Optical activity and position-isomerism (COHEN and RAPER), T., 1262, 1271; P., 179; (FRANKLAND and HARGER), T., 1571; P., 203.
Optical superposition, studies in (PATTERSON and TAYLOR), P., 252.
Optically active compounds, influence of solvents on the rotation of (PATTERSON), T., 1116, 1153; P., 142, 162.
Rotation of compounds of aldehydes with menthyl acetoacetate (HANN and LAPWORTH), T., 50.
of derivatives of menthyl cyanoacetate (BOWACK and LAPWORTH), T., 42.
of the menthyl esters of the isomeric chlorobromo- and iodobenzoic acids (COHEN and RAPER), T., 1262, 1271; P., 179.
Rotation-values of methyl, ethyl, and *n*-propyl tartrates, comparison of, at different temperatures (PATTERSON), T., 765; P., 114.
Magnetic rotation of $\Delta^{1:3}$-dihydrobenzene (PERKIN), T., 1417.
of ethyl chaulmoograte (PERKIN), T., 854.
Multirotation of tetramethyl galactose (IRVINE and CAMERON), T., 1076; P., 174.
of tetramethyl glucose (PURDIE and IRVINE), T., 1052, 1066; P., 174.
Refraction of $\Delta^{1:3}$-dihydrobenzene (PERKIN), T., 1417.
of ethyl chaulmoograte (PERKIN), T., 855.
Refractometric examination of oils and fats, thermostat for (THORPE), T., 257; P., 12.

PHOTOCHEMISTRY :—
Spectrum of "chlorophyll" and its relation to the spectrum of living green tissues (HARTLEY), T., 1607 ; P., 222.
absorption of *p*-nitrosodimethylaniline (HARTLEY), T., 1010 ; P., 160.
ultra-violet absorption, of certain enol-keto-tautomerides (BALY and DESCH), T., 1029 ; P., 157.
o-**Phthalic acid** and anhydride, 3:5-*di*chloro-4-bromo-, and 3:5-*di*chloro-4:6-*di*bromo- (CROSSLEY), T., 276 ; P., 21.
Phthalic anhydride, action of magnesium α-naphthyl bromide on (PICKLES and WEIZMANN), P., 201.
Picryl amyl, ethyl, and *iso*propyl piciminothiocarbonates (CROCKER and LOWE), T., 648 ; P., 92.
thiocyanate (CROCKER and LOWE), T., 649 ; P., 92.
Picrylurethanes (CROCKER and LOWE), T., 646 ; P., 92.
*iso***Pilocarpine**, fusion of, with potassium hydroxide (JOWETT), P., 14.
Pinene, action of nitrosyl chloride on (TILDEN), T., 759 ; P., 122.
Piperidinobenzylideneacetophenone (WATSON), T., 1323 ; P., 181.
Piperidinomethoxybenzoylstyrene (WATSON), T., 1325 ; P., 181.
β-**Piperidobenzylacetylacetone** (RUHEMANN and WATSON), T., 1176 ; P., 175.
Plant food, available, in soils (INGLE), P., 194.
Platinum, colloidal, effect of, on mixtures of Caro's persulphuric acid and hydrogen peroxide (PRICE and FRIEND), T., 1526 ; P., 187.
Position-isomerism and optical activity (COHEN and RAPER), T., 1262, 1271 ; P., 179 ; (FRANKLAND and HARGER), T., 1571 ; P., 203.
Potato starch, comparison of the products of the hydrolysis of, with those obtained from cereal starches (O'SULLIVAN), T., 616 ; P., 65.
Potato starch paste, action of malt diastase on (DAVIS and LING), T., 16.
Potassium *peri*odides, formation of, in organic solvents (DAWSON), T., 467 ; P., 54.
Propaldehyde, action of hydrogen sulphide on solutions of (DRUGMAN and STOCKINGS), P., 117.
Propanedicarboxylic acids. See Glutaric acid and Methylsuccinic acid.
Propanetricarboxylic acid. See Carboxyglutaric acid.
Propionic acid, β-iodo-, ethyl ester, and its action on ethyl disodioethanetetracarboxylate (SILBERRAD), T., 611 ; P., 61.
Propionylacetic acid, cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1748.
Propionylmethylacetic acid, cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1752.
Propiophenone, *p*-amino-, acyl derivatives (CHATTAWAY), T., 391 ; P., 43.
Propyl ether, compound of, with nitric acid (COHEN and GATECLIFF), P., 195.
*iso***Propyl ether**, formation of, from isopropyl alcohol by sulphuric acid (SOUTHERDEN), P., 117.
Propylenetricarboxylic acid. See α-Carboxy-$\Delta^{\alpha\beta}$-glutaconic acid.
Propylidene-acetoacetic and **-bisacetoacetic acids**, menthyl esters, rotation of (HANN and LAPWORTH), T., 51.
Protocatechuic acid, derivatives of (PERKIN and SCHIESS), T., 159.
Prunus spinosa, colouring matter of the flowers of (PERKIN and PHIPPS), T., 56.
Pulegone, action of hydrogen cyanide on (HANN and LAPWORTH), P., 54.
Purpurogallin and its **carboxylic acid**, preparation of (A. G. and F. M. PERKIN), T., 243 ; P., 18.
Pyrogallol, electrolytic oxidation of (A. G. and F. M. PERKIN), T., 245 ; P., 18.
Pyrone compounds, constitution of (COLLIE), T., 971 ; P., 158.

Q.

Quercetin and its acetyl compound, from various flowers (PERKIN and PHIPPS), T., 58.
Quercitol, lævorotatory modification of, and its acyl derivatives (POWER and TUTIN), T., 624 ; P., 87.
Quinolphthalein, constitution of (GREEN and PERKIN), T., 402 ; P., 50.

R.

Radium radiations. See under Photochemistry.
Refraction and **Refractometric analysis**. See under Photochemistry.
Resin acids of the Coniferæ (EASTERFIELD and BAGLEY), T., 1238 ; P., 112.
β-**Resorcylic acid**, derivatives of (PERKIN and SCHIESS), T., 159.

Retene from abietene (EASTERFIELD and BAGLEY), T., 1247 ; P., 113.
Rotation. See Photochemistry.
Rubidium, atomic weight of (ARCHIBALD), T., 776 ; P., 85.

S.

Salicylic acid, bromination of (HEWITT, KENNER, and SILK), T., 1228; P., 126.
Selenium, alkyl derivatives (SCOTT), P., 156.
Semi-*N*-arylimino-oxalic ethers (LANDER), T., 988 ; P., 132.
Sesquiterpene from distilled oil of limes (BURGESS and PAGE), T., 415 ; P., 62.
Silicates, reduced (SIMMONDS), T., 681 ; P., 91.
Silicon organic compounds (KIPPING), P., 15.
Silver cyanate, bromination of (DEAN), T., 1370 ; P., 183.
cyanide and chloride, estimation and separation of (PLIMMER), T., 12.
Sodium nitrate, effect of the long-continued use of, on the constitution of soils (HALL), T., 964 ; P., 154.
thiosulphate, chemical dynamics of the reactions between alkyl haloids and (SLATOR), T., 1286 ; P., 180.
Soils, effect of the long-continued use of sodium nitrate on the constitution of (HALL), T., 964 ; P., 154.
available plant food in (INGLE), P., 194.
comparative nitrifying power of (ASHBY), T., 1158 ; P., 175.
mechanical analysis of, and the composition of the fractions resulting therefrom (HALL), T., 950 ; P., 152.
Solubility as a means of determining the proportions of dynamic isomerides in solution (LOWRY and ROBERTSON), T., 1541 ; (LOWRY), T., 1551 ; P., 108.
Solubility curves of the hydrates of nickel sulphate (STEELE and JOHNSON), T., 113.
Solution, heat of. See under Thermochemistry.
Solvents, influence of, on the rotation of optically active compounds (PATTERSON), T., 1116, 1153 ; P., 142, 162.
Spectrum. See under Photochemistry.
Starch, hydrolysis of, by diastase (FORD), T., 980 ; P., 112.
Starches, cereal, comparison of the products of hydrolysis of, with those from potato starch (O'SULLIVAN), T., 616 ; P., 65.
See also Potato starch.
Stearic acid, α-hydroxy-, and the action of heat on, and its ethyl ester, amide, and lactide (LE SUEUR), T., 827 ; P., 14, 132.
αβ-*di*hydroxy- (LE SUEUR), T., 1713 ; P., 207.
Stereoisomerides, labile, influence of radium radiations on (SUDBOROUGH), P., 166.
Stilbene, action of chromyl chloride on (HENDERSON and GRAY), T., 1041 ; P., 173.
Stilbene group, colouring matters of the (GREEN), T., 1424 ; P., 184 ; (GREEN, SCHOLEFIELD, and MARSDEN), T., 1432 ; P., 185.
Styrene, action of chromyl chloride on (HENDERSON and GRAY), T., 1041 ; P., 173.
Substance, $C_{10}H_{11}O_5N_2Br_3$, from the action of potassium hypobromite on the green oil from the nitrosate of 1-nitrocamphene (FORSTER and MICKLETHWAIT), T., 334 ; P., 19.
$C_{10}H_{14}O_4N_2$, and $C_{10}H_{14}O_5N_2$, from the nitrosate of 1-nitrocamphene (FORSTER and MICKLETHWAIT), T., 327 ; P., 19.
$C_{11}H_{19}O_2N$, and $C_{11}H_{19}O_3N$, from isonitroso- and nitro-camphor and magnesium methiodide (FORSTER), P., 207.
$C_{12}H_{22}O_2$, from camphorquinone and magnesium methiodide (FORSTER), P., 207.
$C_{16}H_{15}O_3N_3S$, from the action of nitrogen sulphide on anisaldehyde (FRANCIS and DAVIS), T., 1536 ; P., 204.
$C_{28}H_{28}ON_2$, from the action of phenylhydrazine on β-phenyl-α-tert.-butyl-β-benzoylpropionic acid (JAPP and MAITLAND), T., 1500.
$C_{31}H_{23}ON$, from β-benzoyl-α-phenylpropionitrile and benzylideneacetophenone (HANN and LAPWORTH), T., 1359 ; P., 183.
Substitution, influence of, in the nucleus on the rate of oxidation of the side-chain (COHEN and MILLER), T., 174, 1622 ; P., 11, 219.
Succinic acid (*ethanedicarboxylic acid*), sodium salt, condensation of, with furfuraldehyde (TITHERLEY and SPENCER), T., 183 ; P., 13.
acid esters (BONE, SUDBOROUGH, and SPRANKLING), T., 534 ; P., 64.
Succinic acids, methyl substituted, acid esters (BONE, SUDBOROUGH, and SPRANKLING), T., 534 ; P., 64.
Sulphazilates. See Peroxylaminesulphonates.

Sulphonchloroalkylamides (CHATTAWAY), P., 208.
Sulphur, alkyl derivatives (SCOTT), P., 156.
Sulphuric acid, vapour pressure of solutions of, and the molecular condition of, in concentrated solution (BURT), T., 1339; P., 182.
Sylvic acid. See Abietic acid.
Synthesis, asymmetric, studies in (MCKENZIE), T., 1249; P., 178.
Taraktogenos Kurzii seeds. See Chaulmoogra seeds.

T.

Tartaric acid, interaction of, with chromic hydroxide (WERNER), T., 1446; P., 186.
salts, alkyl metallic salts, and esters, optical activity of, in aqueous solutions (PATTERSON), T., 1116; P., 142.
alkyl esters and potassium alkyl derivatives, relation between solution-volume and rotation of, in aqueous solution (PATTERSON), T., 1153; P., 162.
methyl ester, action of magnesium phenyl bromide on (FRANKLAND and TWISS), T., 1666; P., 245.
methyl, ethyl, and *n*-propyl esters, comparision of the rotation-values of, at different temperatures (PATTERSON), T., 765; P., 114.
Tautomerides, enol-keto-, the ultraviolet absorption spectra of certain (BALY and DESCH), T., 1029; P., 157.
Tellurium, alkyl derivatives (SCOTT), P., 157.
Terpenes, synthesis of (PERKIN), T., 654; P., 86.
Terpin, synthesis of, and its hydrate (PERKIN), T., 654; P., 86.
Terpineol and its derivatives from distilled oil of limes (BURGESS and PAGE), T., 414; P., 62.
***i*-Terpineol**, synthesis of, and its nitrosochloride and phenylurethane (PERKIN), T., 654; P., 86.
Δ^2-Tetrahydrobenzene, 1-*mono*- and 1:4-*di*-bromo- (CROSSLEY), T., 1421; P., 160.
Δ^3-Tetrahydrobenzoic acid (PERKIN), T., 420; P., 51.
Tetrahydrocarbazole-*p*-carboxylic acid (PERKIN), T., 419; P., 51.
Tetrahydronaphthalene, 1- and 2-bromo- (SMITH), T., 729; P., 110; (MORGAN, MICKLETHWAIT, and WINFIELD), T., 738; P., 109.
Tetrahydronaphthalene, 1- and 2-bromo-*di*nitro- (MORGAN, MICKLETHWAIT, and WINFIELD), T., 747; P., 109.
Tetrahydronaphthalene-1-azo-β-naphthol, 4-bromo-, and its benzoyl derivative (MORGAN, MICKLETHWAIT, and WINFIELD), T., 749; P., 110.
Tetrahydronaphthalene-1-sulphinic acid (MORGAN, MICKLETHWAIT, and WINFIELD), T., 757; P., 110.
Tetrahydronaphthalene-1-sulphonic acid and its chloride, anilide, and barium salt (MORGAN, MICKLETHWAIT, and WINFIELD), T., 756; P., 110.
Tetrahydro-α-naphthylamine and 4-bromo-, and its acyl derivatives (MORGAN, MICKLETHWAIT, and WINFIELD), T., 736; P., 109.
ar-**Tetrahydro-β-naphthylamine**, reaction of, with formaldehyde (SMITH), T., 732; P., 111.
1- and 4-bromo-, and their acetyl derivatives (SMITH), T., 728; P., 110.
ar-**Tetrahydro-α-naphthylamine-4-azobenzene-4′-sulphonic acid** and its reduction (MORGAN, MICKLETHWAIT, and WINFIELD), T., 754.
ar-**Tetrahydro-α-naphthylamine-4-sulphonic acid** and the action of *p*-nitrobenzenediazonium chloride on (MORGAN, MICKLETHWAIT, and WINFIELD), T., 755; P., 110.
Δ^1-Tetrahydroterephthalic acid (PERKIN), T., 420; P., 51.
Δ^3-Tetrahydro-*p*-toluic acid and its ethyl ester (PERKIN), T., 657; P., 86.
Tetrahydroumbellulol (LEES), T., 644; P., 89.
Tetramethyl galactose and its reactions (IRVINE and CAMERON), T., 1075; P., 174.
Tetramethyl α- and β-methylgalactosides (IRVINE and CAMERON), T., 1078; P., 174.
Tetramethyl methylglucosides, stereoisomeric, and **Tetramethyl glucose** (PURDIE and IRVINE), T., 1049; P., 173.
Tetramethylsuccinic acid, acid ester (BONE, SUDBOROUGH, and SPRANKLING), T., 554; P., 64.
αaδδ-Tetraphenylerythritol (FRANKLAND and TWISS), T., 1666; P., 245.
THERMOCHEMISTRY:—
Transition points of the hydrates of nickel sulphate (STEELE and JOHNSON), T., 120.
Heat of formation of glucinum chloride (POLLOK), T., 603; P., 61.

THERMOCHEMISTRY:—
Heat of solution of glucinum compounds (POLLOK), T., 607; P., 62.
Thiocarbamide and ammonium thiocyanate, freezing point curves of (FINDLAY), T., 403; P., 49.
Toluene, halogen derivatives, oxidation of the (COHEN and MILLER), T., 1622; P., 219.
isomeric *mono-* and *di*-chloro-, oxidation of (COHEN and MILLER), T., 174; P., 11.
isomeric *tri*chloro-, chlorination of, in presence of the aluminium-mercury couple (COHEN and DAKIN), T., 1274; P., 180.
isomeric *tetra*chloro-, constitution of, and their nitro-derivatives (COHEN and DAKIN), T., 1274; P., 180.
o-nitro-, compound of, with aluminium chloride (WALKER and SPENCER), T., 1108; P., 135.
2:6-*di*nitro-, reduction of, by hydrogen sulphide (COHEN and MARSHALL), T., 527; P., 63.
p-**Toluenesulphonarylchloroamides** (CHATTAWAY), T., 1181; P., 168.
p-**Toluenesulphonchloromethylamide** (CHATTAWAY), P., 208.
p-**Toluenesulphon-*o*-toluidide** (CHATTAWAY), T., 1186.
o-**Toluic acid**, salts of, with organic bases (SUDBOROUGH and ROBERTS), T., 241.
3:5-*di*chloro-6-nitro- (CROSSLEY), T., 281; P., 21.
Toluidines, dibenzoyl derivatives, transformation of, into the isomeric benzoylaminomethylbenzophenones (CHATTAWAY and LEWIS), T., 589; P., 60.
β-*o*-Toluidinobenzylacetoacetic acid, ethyl ester (RUHEMANN and WATSON), T., 1177.
β-*m*- and -*p*-Toluidinobenzylacetylacetone (RUHEMANN and WATSON), T., 1174; P., 175.
p-**Tolylazocyanoacetic acid**, menthyl ester, rotation of (BOWACK and LAPWORTH), T., 44.
Tri-*p*-methoxyphenylcyanidine (FRANCIS and DAVIS), T., 261, 1535; P., 22, 204.
2:4:6-Trimethylbenzoic acid, benzylamine salt of (SUDBOROUGH and ROBERTS), T., 240.
Trimethylbornylammonium hydroxide (FORSTER and ATTWELL), T., 1195.
αα'γ-Trimethylbutyric acid, β-bromo-γ-hydroxy-, and γ-hydroxy-, lactones of (PERKIN and SMITH), T., 156; P., 11.
3:7:10-Trimethyldihydroacridine, 8-amino-5-hydroxy- (FOX and HEWITT), T., 532; P., 9.
αα'γ-Trimethylglutaconic acid, *cis-* and *trans-*, and the anhydride of the cis-acid (PERKIN and SMITH), T., 155; P., 10.
αα'γ-Trimethylglutaric acid, *cis*-**β**γ-*di*-bromo- (PERKIN and SMITH), T., 156; P., 10.
β-imino-α-cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1755.
Trimethylpentamethylenecarboxylic acid, *i*-3-bromo-, and its ethyl ester, and *i*-3-*cis*-hydroxy- (PERKIN and THORPE), T., 144.
Trimethylsuccinic acid, acid esters (BONE, SUDBOROUGH, and SPRANKLING), T., 551; P., 64.
2:4:6-Trioxypyridine and its anhydride and salts, and 5-alkyl derivatives and their 3-carboxylic acids, and 3:5-dimethyl derivative (BARON, REMFRY, and THORPE), T., 1742; P., 243.
Triphenylcrotolactones, isomeric, and their reactions (JAPP and MAITLAND), T., 1498; P., 206.
Triphenylcyanidine, preparation of (FRANCIS and DAVIS), T., 260; P., 21.
Trithioacetaldehydes, α-, β-, and γ- (DRUGMAN and STOCKINGS), P., 116.
Trithioformaldehyde (DRUGMAN and STOCKINGS), P., 116.
Tritolylcyanidine (FRANCIS and DAVIS), T., 260; P., 21.
Tungstates, ammoniacal double (BRIGGS), T., 672; P. 89.

U.

Umbellularia californica, essential oil of (POWER and LEES), T., 629; P., 88.
Umbellulone and its reactions with hydroxylamine and semicarbazide (POWER and LEES), T., 634; P., 88.
and its bromo-derivatives (LEES), T., 639; P., 88.

V.

Valeric acid, β-imino-α-cyano-, ethyl ester (BARON, REMFRY, and THORPE), T., 1747.
Vapour density of hydrazine hydrate (SCOTT), T., 913; P., 84.
Vapour pressures of liquid mixtures of restricted mutual solubility (MARSHALL), P., 142.

Vapour pressures of sulphuric acid solutions (BURT), T., 1339; P., 182.
Velocity of reactions. See Affinity.
Viscosity of liquid mixtures (DUNSTAN), T., 817; P., 117, 248.

W.

Water, purification of, by continuous fractional distillation (BOUSFIELD), P., 49.
Weights, molecular, microscopic method of determining (BARGER), T., 286; P., 8.

X.

o-**Xylene,** chlorobromo-, chlorobromonitro-, and chloronitro-derivatives, formation of (CROSSLEY), T., 266; P., 21.
4-*o*-**Xylidine,** 3:5-*di*chloro- (CROSSLEY), T., 278.

ERRATA.

VOL. LXIX (TRANS., 1896).

Page	Line	
988	2	*for* "$C_{17}H_{20}O_2$" *read* "$C_{15}H_{16}O_2$."

VOL. LXXIX (TRANS., 1901).

1209	4	*for* "C = 81·65; H = 8·87" *read* "C = 81·17; H = 9·41."

VOL. LXXXV (TRANS., 1904).

267	1*	*for* "VI" *read* "VII."
267	2*	,, "VII" *read* "VIII."
273	13	*delete* "Ag haloids = 187·0."
466	15*	*for* "The additive compound" *read* "Benzylideneaniline."
981	20	,, "H_2SO_4" *read* "NaOH."
1236	2*	,, "solution" *read* "solutions."
1477	11	*delete* sentence "As both . . . . ketones."
1496	17	for "2-*acetyl*-1:5-*diphenyl*-3-*pyrazole*" read "2-*acetyl*-1:5-*diphenyl*-3-*pyrazolone*."
1739	10*	,, "$C_{13}H_{17}O_5N_3$" *read* "$C_{13}H_{17}O_3N_5$."

* From bottom.